

Table of Contents

ExplicitNumberingPlugin.....	1
Syntax Rules.....	1
Numbered sequences.....	1
Numbered headings.....	1
General comments.....	1
Examples.....	2
Numbered heading examples.....	2
Heading.....	3
1 Heading.....	3
Next level.....	3
1.1 Next level.....	3
And another.....	3
1.1.1 And another.....	3
# Single numbered.....	3
2 Single numbered.....	3
ExplicitNumberingPlugin Global Settings.....	3
See also.....	3
Plugin Installation Instructions.....	3
Plugin Info.....	4

ExplicitNumberingPlugin

Use the `##.`, `##..` etc. notation to insert outline numbering sequences (1, 1.1, 2, 2.1) in topic's text. Also support numbered headings.

Use the `##.`, `##..` etc. notation to insert outline numbering sequences (1, 1.1, 2, 2.1) in topic's text.

Use `---#`, `---##`, etc., to generate numbered headings.

Use `##5.`, `##..`, `##.` to start a numbering sequence at 5

Syntax Rules

Numbered sequences

- The default outline numbering sequence uses the notation `##...` (with 1-6 dots). The notation is replaced anywhere in the topic. The level number corresponding to the number of dots increases with each use. Each time a level is used, all higher levels are reset to 0.
- Named numbering sequences can be used with the notation `##name#...` for sequence `name`. Named sequences have independent numbering.
- The numbering of a sequence can be initialized or re-initialized by adding a number `n` into the tag. For example, `##name#2...` resets numbering sequence `name` to 2. The sequence is initialized from the indicated level on.
 - ◆ As a concession to backwards compatibility, 0 re-initializes the sequence at all levels. This comes in handy when using a sequence within headers that are also used in a `%TOC%`. In that case, start the first heading using something like `---+ Chapter ##0.`
`Introduction`. You can then safely use the number notation in headings.
- The rendering of the numbering sequence can be turned into an letter-labeled list by appending a lowercase letter to the notation: `##...a`

Numbered headings

- When the `+` character in headings is replaced by `#`, the headings are numbered. Heading numbers are derived from the unnamed sequence and can, therefore, be affected by the syntax above.
 - ◆ Tip: Avoid unnamed sequences when using numbered headings.

General comments

- Numbering count is maintained throughout a single topic. Included topics are considered part of the topic and are numbered in sequence with the including topic.
- The maximum number of levels is 6, and using levels higher than maximum implies the last level.
- Non-consecutive increasing levels generate 0 for the skipped levels.
- Sequence numbering always starts at level 1. A missing first level will result in a 0 to indicate the skipped level.

- Non-numbered headers do not affect the numbering of numbered headings.
- The "alpha" sequence can be changed by plugin settings.

Examples

If you have the plugin installed, the **Rendered** and **Expected** columns should be identical. If you do not have the plugin installed, the **Rendered** column will be the same as the **Source** column.

Source	Rendered	Expected
##.	##.	1
##..	##..	1.1
##...	##...	1.1.1
##....	##....	1.1.1.1
##.....	##.....	1.1.1.1.1
##.....	##.....	1.1.1.1.1.1
##.....	##.....	1.1.1.1.1.2
Chapter ##a#.	Chapter ##a#.	Chapter 1
Section ##a#..	Section ##a#..	Section 1.1
Subsection ##a#...	Subsection ##a#...	Subsection 1.1.1
Req ##a#....:	Req ##a#....:	Req 1.1.1.1:
Req ##a#....:	Req ##a#....:	Req 1.1.1.2:
Subsection ##a#...	Subsection ##a#...	Subsection 1.1.2
Req ##a#....:	Req ##a#....:	Req 1.1.2.1:
Req ##a#....:	Req ##a#....:	Req 1.1.2.2:
##a#....a)	##a#....a)	a)
##a#....a)	##a#....a)	b)
##a#....a)	##a#....a)	c)
##A#....A)	##A#....A)	A)
##A#....A)	##A#....A)	B)
##A#....A)	##A#....A)	C)
Req ##a#....:	Req ##a#....:	Req 1.1.2.3:
Section ##a#..	Section ##a#..	Section 1.2
Chapter ##a#.	Chapter ##a#.	Chapter 2
Section ##a#..	Section ##a#..	Section 2.1
Section ##a#..	Section ##a#..	Section 2.2

Numbered heading examples

Reset anonymous numbering to ##0. using =##0.

Write

---# Heading level 1

If Installed

You should see

	Heading	1 Heading
---##	Next level	1.1 Next level
---###	And another	1.1.1 And another
---++#	# Single numbered	2 Single numbered

ExplicitNumberingPlugin Global Settings

Plugin settings are stored as preferences settings. To retrieve a preference setting write it as a Foswiki Macro: `%<plugin>_ <setting>%`, i.e. `%EXPLICITNUMBERINGPLUGIN_SHORTDESCRIPTION%`

Note: This plugin does not obtain preference settings from this topic. Settings should be entered in the SitePreferences or Web Preferences topic. The following settings can be used.

- Bold font the numbering sequence. If this setting is enabled, the numbers are rendered in a bold font.

```
* #Set EXPLICITNUMBERINGPLUGIN_BOLD = 1
```

- Alternate collating sequence for letter headings. This is a comma-separated list of "letters" used in alpha headings. They should be entered as lower-case letters. The plugin will convert to upper-case as needed. The example below shows the default sequence, a reversed sequence, and a Greek letter sequence. The plugin will "wrap" back to the beginning of the sequence if it is exceeded.

```
* #Set EXPLICITNUMBERINGPLUGIN_ALPHASEQ = a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u,v,w,x,y,z
* #Set EXPLICITNUMBERINGPLUGIN_ALPHASEQ = z,y,x,w,v,u,t,s,r,q,p,o,n,m,l,k,j,i,h,g,f,e,d,c,b,a
* #Set EXPLICITNUMBERINGPLUGIN_ALPHASEQ = &#945;,,&#946;,,&#947;,,&#948;,,&#949;,,&#950;,,
```

- Debug plugin: (See output in `data/debug.txt`) This plugin provides minimal debugging information

```
* #Set EXPLICITNUMBERINGPLUGIN_DEBUG = 1
```

See also

The Foswiki:Extensions.TocPlugin provides a more complete table of contents and cross-reference management.

Plugin Installation Instructions

You do not need to install anything in the browser to use this extension. The following instructions are for the administrator who installs the extension on the server.

Open configure, and open the "Extensions" section. Use "Find More Extensions" to get a list of available extensions. Select "Install".

If you have any problems, or if the extension isn't available in `configure`, then you can still install manually from the command-line. See <http://foswiki.org/Support/ManuallyInstallingExtensions> for more help.

Plugin Info

Plugin Author:	TWiki:Main.MartinVlach, Foswiki:Main.ThomasWeigert (21 Nov 2006)
Copyright:	© 2003, Lynguent, Inc. © 2006, ProjectContributor
License:	GPL (GNU General Public License)
Plugin Version:	6482 (2010-02-23)
Plugin Release:	1.6
Change History:	
22 Feb 2010:	Foswikitask:Item2654 - internal changes compatible with trunk, Foswikitask:Item2665: various enhancements - added alpahbet setting for alpha sequence, Foswikitask:Item8493 - documentation enhancements
4 Jun 2009:	Added a bold preference option; Foswikitask:Item8167 (Foswiki:Main.SallyHoughton)
3 Mar 2009:	Exclude textareas from rendering to improve compatibility with Foswiki:Extensions.EditChapterPlugin. Completed rename to Foswiki namespace (Foswiki:Main.GeorgeClark); Foswikitask:Item1038
12 Feb 2009:	Fixed regular expression to parse enumerated headings (Foswiki:Main.MichaelDaum); Added support for upper-case alphabetic enumerations (TWiki:Main.DarrenElkerton)
21 Nov 2006:	Added reset to specific number based on suggestion by TWiki:Main.SteveWampler. Added support of numbered headers. Proper handling in table of content.
17 Sep 2003:	Added alpha-labeled lists.
12 Aug 2003:	Initialize sequences in startRenderingHandler. Thank you TWiki:Main.IngoKarkat.
29 Jul 2003:	Initial version
CPAN Dependencies:	none
Other Dependencies:	none
Perl Version:	5.8.0
Plugin Home:	http://foswiki.org/Extensions/ExplicitNumberingPlugin

Related Topics: DefaultPreferences, SitePreferences, Plugins

-- - 21 Nov 2006

This topic: System > ExplicitNumberingPlugin

Topic revision: r1 - 20 Jan 2010 - 02:37:11 - ProjectContributor



Copyright © by the contributing authors. All material on this site is the property of the contributing authors.

Ideas, requests, problems regarding Wiki? Send feedback