

Table of Contents

JQueryFluidFont.....	1
Usage.....	1
JavaScript API.....	1
Foswiki integration.....	1
Examples.....	1

Homepage: <http://foswiki.org/Extensions/JQueryPlugin>
 Author(s): Michael Daum
 Version: 1.0

Usage

The `fluidfont()` plugin attaches to a jQuery object and recomputes its font-size based on its width. You can specify a width at which the original font size should be used. When the element is resized the ratio between width and font-size is maintained continuously.

- width: standard width that will show the original font-size
- min: minimal font size in px
- max: maximal font size in px

FluidFont is activated for any html element that has got the **jqFluidFont** class. Options can be specified using JQueryMetadata.

This area uses fluid typography.

[illegible]

```
%STARTSECTION{"fluidfont"}%
<script type="text/javascript">
jQuery(function($) {
  alert("Switching on fluid font for the body element. \n Resize the browser window to see
  $("body").fluidfont({
    width: 1024,
    min: 11,
```

```

        max: 20
    });
});
</script>
%ENDSECTION{"fluidfont"}%
```

Edit | Attach | Print version | History: %REVISIONS% | Backlinks | Raw View | More topic actions
 Topic revision: r2 - 08 Feb 2010 - 18:13:08 - ProjectContributor

- ☐ System
- Log In
- **Toolbox**
 -  Users
 -  Groups
 -  Index
 -  Search
 -  Changes
 -  Notifications
 -  RSS Feed
 -  Statistics
 -  Preferences
- **User Reference**
 - BeginnersStartHere
 - TextFormattingRules
 - Macros
 - FormattedSearch
 - QuerySearch
 - DocumentGraphics
 - SkinBrowser
 - InstalledPlugins
- **Admin Maintenance**
 - Reference Manual
 - AdminToolsCategory
 - InterWikis
 - ManagingWebs
 - SiteTools
 - DefaultPreferences
 - WebPreferences
- **Categories**
 - Admin Documentation
 - Admin Tools
 - Developer Doc
 - User Documentation
 - User Tools
- **Webs**
 - ☐ Public
 - ☐ System



Copyright © by the contributing authors. All material on this site is the property of the contributing authors.

Ideas, requests, problems regarding Wiki? Send feedback