

Table of Contents

Meta data.....	1
Overview.....	1
Meta data syntax.....	1
Meta data specifications.....	1
META:TOPICINFO.....	1
META:TOPICMOVED.....	2
META:TOPICPARENT.....	2
META:FILEATTACHMENT.....	2
META:FORM.....	2
META:FIELD.....	3
Recommended sequence.....	3
Viewing meta data in page source.....	3
Rendering meta data.....	3

Meta data

Additional topic data, program-generated or from DataForms, is stored embedded in the topic text using META: tags

Overview

By default, topics are stored in files on disk, in a really simple and obvious directory structure. The big advantage of this approach is that it makes it really easy to manipulate topics from outside, and is also very safe; there are no complex binary indexes to maintain, and moving a topic from one installation to another is as simple as copying a couple of text files.

To keep everything together in one place, meta-data (program-generated or from DataForms) is embedded directly in topics. It does this using META: tags.

META: data includes program-generated info like FileAttachment, topic movement data and user-defined information from DataForms.

Meta data syntax

- Format is the same as in macros, except all fields have a key.
 - ◆ %META:<type>{key1="value1" key2="value2" ...}%
- Order of fields within the meta-data is not defined, except that if there is a field with key name, this appears first for easier searching (note the order of the data themselves is defined).
- Each meta-datum is on one line.
- Values in meta-data are URL encoded so that characters such as \n can be stored.

Example of Format

```
text of the topic
```

Meta data specifications

The current version of Meta Data is 1.0, with support for the following syntax.

META:TOPICINFO

Key	Comment
version	Same as SVN version
date	integer, unix time, seconds since start 1970
author	last to change topic, is the REMOTE_USER
format	Format of this topic, will be used for automatic format conversion

META:TOPICMOVED

This is optional, exists if topic has ever been moved. If a topic is moved more than once, only the most recent META:TOPICMOVED meta datum exists in the topic, older ones are to be found in the rcs history.

Key	Comment
to	Full name, i.e., web.topic
from	Full name, i.e., web.topic
date	integer, unix time, seconds since start 1970
by	Who did it, is the REMOTE_USER, not WikiName

Notes:

- at present version number is not supported directly, it can be inferred from the SVN history.
- there is only one META:TOPICMOVED in a topic, older move information can be found in the SVN history.

META:TOPICPARENT

Key	Comment
name	The topic from which this was created, typically when clicking on a ? questionmark link, or by filling out a form. Normally just TopicName, but it can be a full Web.TopicName format if the parent is in a different Web.

META:FILEATTACHMENT

Key	Comment
name	Name of file, no path. Must be unique within topic
version	Same as SVN revision
path	Full path file was loaded from
size	In bytes
date	integer, unix time, seconds since start 1970
user	the REMOTE_USER, not WikiName
comment	As supplied when file uploaded
attr	h if hidden, optional

Extra fields that are added if an attachment is moved:

Key	Comment
movedfrom	full topic name - web.topic
movedby	the REMOTE_USER, not WikiName
movesto	full topic name - web.topic
moveddate	integer, unix time, seconds since start 1970

META:FORM

Key	Comment
name	A topic name - the topic represents one of the DataForms. Can optionally include the web name (i.e., web.topic), but doesn't normally

META:FIELD

Should only be present if there is a META:FORM entry. Note that this data is used when viewing a topic; the form definition is not read.

Key	Name
name	Ties to entry in DataForms template, is title with all bar alphanumerics and . removed
title	Full text from DataForms template
value	Value user has supplied via form

Recommended sequence

There is no absolute need for Meta data to be listed in a specific order within a topic, but it makes sense to do so for a couple of good reasons:

- form fields remain in the order they are defined
- the `diff` function output appears in a logical order

The recommended sequence is:

- META:TOPICINFO
- META:TOPICPARENT (optional)
- text of topic
- META:TOPICMOVED (optional)
- META:FILEATTACHMENT (0 or more entries)
- META:FORM (optional)
- META:FIELD (0 or more entries; FORM required)

Viewing meta data in page source

When viewing a topic the [\[View raw text\]](#) link can be clicked to show the text of a topic (i.e., as seen when editing). This is done by adding `raw=on` to URL. `raw=debug` shows the meta data as well as the topic data, ex: `debug` view for this topic

Rendering meta data

Meta data is rendered with the `%META%` macro. This is mostly used in the `view`, `preview` and `edit` scripts.

You can render form fields in topic text by using the FORMFIELD macro. Example:

```
%FORMFIELD{ "TopicClassification" }%
```

For details, see VarFORMFIELD.

Current support covers:

Macro usage:	Comment:
<code>%META{ "form" }%</code>	Show form data, see DataForms.
<code>%META{ "formfield" }%</code>	Show form field value. Parameter: <code>name="field_name"</code> . Example: <code>%META{ "formfield" name="TopicClassification" }%</code>
<code>%META{ "attachments" }%</code>	Show attachments, except for hidden ones. Options: <code>all="on"</code> : Show all attachments, including hidden ones.

Macro usage:	Comment:
%META{ "moved" }%	Details of any topic moves.
%META{ "parent" }%	Show topic parent. Options: dontrcuse="on" : By default recurses up tree, at some cost. nowebhome="on" : Suppress WebHome. prefix="..." : Prefix for parents, only if there are parents, default "". suffix="..." : Suffix, only appears if there are parents, default "". separator="..." : Separator between parents, default is " > ".

 SEARCH can also be used to render meta data, see examples in FormattedSearch and SearchPatternCookbook.

Related Topics: DeveloperDocumentationCategory, UserDocumentationCategory

[Edit](#) | [Attach](#) | [Print version](#) | [History: %REVISIONS%](#) | [Backlinks](#) | [Raw View](#) | [More topic actions](#)

Topic revision: r1 - 12 Sep 2009 - 04:07:24 - ProjectContributor

-  System
- Log In
- **Toolbox**
 -  Users
 -  Groups
 -  Index
 -  Search
 -  Changes
 -  Notifications
 -  RSS Feed
 -  Statistics
 -  Preferences
- **User Reference**
 - BeginnersStartHere
 - TextFormattingRules
 - Macros
 - FormattedSearch
 - QuerySearch
 - DocumentGraphics
 - SkinBrowser
 - InstalledPlugins
- **Admin Maintenance**
 - Reference Manual
 - AdminToolsCategory
 - InterWikis
 - ManagingWebs
 - SiteTools
 - DefaultPreferences
 - WebPreferences
- **Categories**
 - Admin Documentation
 - Admin Tools
 - Developer Doc
 - User Documentation

- User Tools

- Webs
- Public
- System

•
•



Copyright © by the contributing authors. All material on this site is the property of the contributing authors.

Ideas, requests, problems regarding Wiki? Send feedback