

Table of Contents

NatSkinCss.....	1
Alphabetic list.....	1

NatSkinCss

This is a reference guide to all css classes used by NatSkin. These are all *classes* and not *ids*, that is all classes below are applied to the html markup using `class="natXYZ"`. All classes referring to html elements that are part of the NatSkin templates are named using the `nat` prefix in their name (example: `natBodyContents`, `natMain`, `natSideBar`, etc).

NatSkin does not make use of positional css or floats. Instead the main layout is done using a html `<table>` element classified `natLayoutTable` that uses a fixed table layout (means: not depending on the inner content).

The reason for this is to provide a more reliable user experience on different browsers and a simplification of css code. So css means are used mainly for fonts, colors, spaces and margins but not for general page layouting on the client side. Instead different layouts are emitted by the server using different html markup.

The basic layout consists of a topbar (`natTopBar`), a middle part (`natMiddle`) holding the sidebar(s) (`natSideBar`) as well as the main area (`natMain`) and a bottom bar (`natBottomBar`). Within these boundaries NatSkin provides a one, two or three columns layout in the middle area depending on the sidebar being switched off, on the left/right side or displayed on both sides respectively. Different html markup and classification is done on the serverside so that adequate css takes effect in different configurations. For example if the sidebar is configured to be on the left it can be addressed using `natSideBarLeft` in addition to the standard `natSideBar` class. Accordingly the topic area (`natMain`) will be located on the opposite side and will be named `natMainRight` if the sidebar is on the left. If the sidebars are both switched off the `natMain` area will be called `natMainRight` and `natMainLeft` at the same time. The same logic applies to the `natBottomBar` although it is not part of the `natMiddle`. Nevertheless it will be classified `natBottomBarLeft` or `natBottomBarRight` depending on the sidebar being on the right or left side respectively. This is useful if the bottom bar is to be displayed under the `natMain` area. Additionally the `natBottomBar` will be classified as `natBottomBarBoth`.

Alphabetic list

Class	Files	Description
<code>natAction</code>	<code>edittopicactions.nat.tmpl</code> , <code>previewtopicactions.nat.tmpl</code> , <code>settingstopicactions.nat.tmpl</code>	highlights current action
<code>natAltButton</code>	<code>oopsleaseconflict.nat.tmpl</code> , <code>oopslocked.nat.tmpl</code> , <code>oopslockedrename.nat.tmpl</code> , <code>oopslogonbase.nat.tmpl</code> , <code>oopsmore.nat.tmpl</code> , <code>oopsnoformdef.nat.tmpl</code> , <code>oopsrev.nat.tmpl</code> , <code>renamebase.nat.tmpl</code> , <code>renamewebbase.nat.tmpl</code>	alternative submit action in skin forms, see also <code>natOkButton</code> , <code>natCancelButton</code>
<code>natAttachBody</code>	<code>attach.nat.tmpl</code>	html body during attach action
<code>natBody</code>	<code>page.nat.tmpl</code> , <code>view.plain.nat.tmpl</code> , <code>view.print.nat.tmpl</code>	html body, see also <code>natBodyPlain</code> , <code>natBodyPrint</code> , <code>nat...Body</code>
<code>natBodyContents</code>	<code>defaultbody.nat.tmpl</code> , <code>view.plain.nat.tmpl</code> , <code>view.print.nat.tmpl</code>	contains all page content inside the <code>natPageBox</code>
<code>natBodyPlain</code>	<code>view.plain.nat.tmpl</code>	

Class	Files	Description
		html boy using the plain.nat skin, see also natBody
natBodyPrint	view.print.nat.tmpl	using the print.nat skin, see also natBody
natBottomBar	defaultbody.nat.tmpl	bottom element below the natLayoutTable
natBottomBarBoth	defaultbody.nat.tmpl	natBottomBarBoth conditional classification: sidebar switched off
natBottomBarContents	defaultbody.nat.tmpl, view.plain.nat.tmpl	contents container inside the natBottomBar
natBottomBarLeft	defaultbody.nat.tmpl	natBottomBarBoth conditional classification: sidebar on the right
natBottomBarRight	defaultbody.nat.tmpl	natBottomBarBoth conditional classification: sidebar on the left
natBottomTopicActions	edit.nat.tmpl, preview.nat.tmpl	
natBoxBorderBottomLeft	defaultbody.nat.tmpl	
natBoxBorderBottomRight	defaultbody.nat.tmpl	
natBoxBorderLeft	defaultbody.nat.tmpl	
natBoxBorderRight	defaultbody.nat.tmpl	
natBoxBorderTopLeft	defaultbody.nat.tmpl	
natBoxBorderTopRight	defaultbody.nat.tmpl	
natBreadCrumbs	edit.nat.tmpl, preview.nat.tmpl, view.nat.tmpl	
natCancelAction	edit.nat.tmpl, preview.nat.tmpl	
natCancelButton	changeform.nat.tmpl, moveattachment.nat.tmpl, oops.nat.tmpl, oopsattention.nat.tmpl, oopsempy.nat.tmpl, oopserrbase.nat.tmpl, oopsleaseconflict.nat.tmpl, oopslocked.nat.tmpl, oopslockedrename.nat.tmpl, oopslogonbase.nat.tmpl, oopsmngcreateweb.nat.tmpl, oopsmore.nat.tmpl, oopsnoformdef.nat.tmpl, oopsresetpasswd.nat.tmpl, oopsrev.nat.tmpl, rename.nat.tmpl, renameconfirm.nat.tmpl, renamerefs.nat.tmpl, renamewebbase.nat.tmpl, renamewebconfirm.nat.tmpl	
natChangeFormBody	changeform.nat.tmpl	html body during changeform action

Class	Files	Description
natChangesBody	changes.nat.tmpl	html body during changes cgi action
natContact	oops.nat.tmpl	
natCopyRight	defaultbody.nat.tmpl, view.plain.nat.tmpl	
natCurrentAction	edit.nat.tmpl, preview.nat.tmpl	
natDiffOptions	oopsrev.nat.tmpl	
natDoneAction	edit.nat.tmpl, preview.nat.tmpl	
natEdit	edit.nat.tmpl, editform.nat.tmpl, settings.nat.tmpl	
natEditAction	edit.nat.tmpl, preview.nat.tmpl	
natEditBody	edit.nat.tmpl	html body during edit cgi action
natEditBoldButton	edittoolbar.nat.tmpl	
natEditBoldButtonAction	edittoolbar.nat.tmpl	
natEditButton	previewtoolbar.nat.tmpl	
natEditCancelButton	edittoolbar.nat.tmpl, previewtoolbar.nat.tmpl	
natEditCenterButton	edittoolbar.nat.tmpl	
natEditCenterButtonAction	edittoolbar.nat.tmpl	
natEditDoneButton	edittoolbar.nat.tmpl, previewtoolbar.nat.tmpl	
natEditEditTools	edittoolbar.nat.tmpl	
natEditExtButton	edittoolbar.nat.tmpl	
natEditExtButtonAction	edittoolbar.nat.tmpl	
natEditH1Button	edittoolbar.nat.tmpl	
natEditH2Button	edittoolbar.nat.tmpl	
natEditH3Button	edittoolbar.nat.tmpl	
natEditH4Button	edittoolbar.nat.tmpl	
natEditHeadlineButtonAction	edittoolbar.nat.tmpl	
natEditHeadlineTools	edittoolbar.nat.tmpl	
natEditHelpButton	edittoolbar.nat.tmpl	
natEditHelpTools	edittoolbar.nat.tmpl	
natEditImageButton	edittoolbar.nat.tmpl	
natEditImageButtonAction	edittoolbar.nat.tmpl	
natEditIntButton	edittoolbar.nat.tmpl	
natEditIntButtonAction	edittoolbar.nat.tmpl	
natEditItalicButton	edittoolbar.nat.tmpl	
natEditItalicButtonAction	edittoolbar.nat.tmpl	
natEditJustifyButton	edittoolbar.nat.tmpl	
natEditJustifyButtonAction	edittoolbar.nat.tmpl	
natEditLeftButton	edittoolbar.nat.tmpl	
natEditLeftButtonAction	edittoolbar.nat.tmpl	
natEditMathButton	edittoolbar.nat.tmpl	
natEditMathButtonAction	edittoolbar.nat.tmpl	
natEditObjectTools	edittoolbar.nat.tmpl	


Class	Files	Description
natEditParagraphTools	edittoolbar.nat.tmpl	
natEditPreviewButton	edittoolbar.nat.tmpl	
natEditRightButton	edittoolbar.nat.tmpl	
natEditRightButtonAction	edittoolbar.nat.tmpl	
natEditSaveButton	edittoolbar.nat.tmpl, previewtoolbar.nat.tmpl	
natEditSignatureButton	edittoolbar.nat.tmpl	
natEditSignatureButtonAction	edittoolbar.nat.tmpl	
natEditStrikeButton	edittoolbar.nat.tmpl	
natEditStrikeButtonAction	edittoolbar.nat.tmpl	
natEditSubButton	edittoolbar.nat.tmpl	
natEditSubButtonAction	edittoolbar.nat.tmpl	
natEditSupButton	edittoolbar.nat.tmpl	
natEditSupButtonAction	edittoolbar.nat.tmpl	
natEditTextTools	edittoolbar.nat.tmpl	
natEditToolBar	edittoolbar.nat.tmpl	
natEditUnderlinedButton	edittoolbar.nat.tmpl	
natEditUnderlinedButtonAction	edittoolbar.nat.tmpl	
natEditUndoButton	edittoolbar.nat.tmpl, previewtoolbar.nat.tmpl	
natEditVerbatimButton	edittoolbar.nat.tmpl	
natEditVerbatimButtonAction	edittoolbar.nat.tmpl	
natErrorMsg	oopsmngcreateweb.nat.tmpl, oopsmoveerr.nat.tmpl, oopsrenameerr.nat.tmpl, oopssaveerr.nat.tmpl, oopssendmailerr.nat.tmpl, oopssoftwareerr.nat.tmpl	
natFeedIcon	defaultbody.nat.tmpl	
natFormAction	edit.nat.tmpl, preview.nat.tmpl	
natFormActionButton	attachagain.nat.tmpl	
natFormCancelButton	attachagain.nat.tmpl, attachnew.nat.tmpl	
natFormOkButton	attachagain.nat.tmpl, attachnew.nat.tmpl	
natHeaderArt	defaultbody.nat.tmpl	
natLayoutTable	defaultbody.nat.tmpl	
natLogonForm	oopslogonbase.nat.tmpl	
natLogonFormButtons	oopslogonbase.nat.tmpl	
natLogonFormHolder	oopslogonbase.nat.tmpl	
natLogonFormLogin	oopslogonbase.nat.tmpl	
natLogonFormPassword	oopslogonbase.nat.tmpl	
natMain	defaultbody.nat.tmpl, view.plain.nat.tmpl, view.print.nat.tmpl	
natMainContents	defaultbody.nat.tmpl, view.plain.nat.tmpl, view.print.nat.tmpl	
natMainFooter	defaultbody.nat.tmpl	

Class	Files	Description
natMainFooterContents	defaultbody.nat.tmpl, view.plain.nat.tmpl, view.print.nat.tmpl	
natMainFooterLeft	defaultbody.nat.tmpl	
natMainFooterRight	defaultbody.nat.tmpl	
natMainHeaderContents	defaultbody.nat.tmpl	
natMainLeft	defaultbody.nat.tmpl	
natMainRight	defaultbody.nat.tmpl	
natMiddle	defaultbody.nat.tmpl, view.plain.nat.tmpl, view.print.nat.tmpl	
natMiddleLeft	defaultbody.nat.tmpl	
natMiddleRight	defaultbody.nat.tmpl	
natMoveAttachmentBody	moveattachment.nat.tmpl	html body while moving attachments
natNotes	attachsidebar.nat.tmpl, changeformsidebar.nat.tmpl, moveattachmentsidebar.nat.tmpl, renamesidebar.nat.tmpl, renamewebsidebar.nat.tmpl	
natOkButton	changeform.nat.tmpl, moveattachment.nat.tmpl, oops.nat.tmpl, oopsattention.nat.tmpl, oopschangepasswd.nat.tmpl, oopseempty.nat.tmpl, oopserrbase.nat.tmpl, oopslanguagechanged.nat.tmpl, oopsleaseconflict.nat.tmpl, oopslocked.nat.tmpl, oopslockedrename.nat.tmpl, oopslogonbase.nat.tmpl, oopsmngcreateweb.nat.tmpl, oopsmore.nat.tmpl, oopsnoformdef.nat.tmpl, oopsresetpasswd.nat.tmpl, oopsrev.nat.tmpl, rename.nat.tmpl, renameconfirm.nat.tmpl, renamerefs.nat.tmpl, renamewebbase.nat.tmpl, renamewebconfirm.nat.tmpl	
natOops	oops.nat.tmpl	
natOopsBody	oops.nat.tmpl	html body in oops messages
natOopsButtons	oops.nat.tmpl, oopsattention.nat.tmpl, oopschangepasswd.nat.tmpl, oopseempty.nat.tmpl, oopslanguagechanged.nat.tmpl, oopsleaseconflict.nat.tmpl, oopslocked.nat.tmpl, oopslockedrename.nat.tmpl,	








Class	Files	Description
	oopsmngcreateweb.nat.tmpl, oopsnoformdef.nat.tmpl	
natOopsMessage	oops.nat.tmpl	
natPageBox	defaultbody.nat.tmpl	
natPreviewAction	edit.nat.tmpl, preview.nat.tmpl	
natPreviewBody	preview.nat.tmpl	html body during preview action
natPreviewToolBar	previewtoolbar.nattmpl	
natRdiffBody	rdiff.nat.tmpl	html body during rdiff action
natRevision	rdiff.nat.tmpl, view.nat.tmpl	
natRenameBody	renamebase.nat.tmpl	html body in rename actions
natRenameWebBody	renamewebbase.nat.tmpl	html body in rename web action
natSaveAction	edit.nat.tmpl, preview.nat.tmpl	
natSearch	search.nat.tmpl	
natSearchAuthor	search.nat.tmpl	
natSearchBody	searchbase.nat.tmpl	html body in search action
natSearchBox	defaultsidebar.nat.tmpl, defaulttopbar.nat.tmpl	
natSearchBox	searchbox.nat.tmpl	
natSearchHit	changes.nat.tmpl, search.nat.tmpl, searchrenameview.nat.tmpl	
natSearchHitEven	search.nat.tmpl	
natSearchHitOdd	search.nat.tmpl	
natSearchRenameContents	renamebase.nat.tmpl, renamewebbase.nat.tmpl	
natSearchRevision	search.nat.tmpl	
natSearchString	search.nat.tmpl, searchformat.nat.tmpl, searchrenameview.nat.tmpl	
natSearchTable	changes.nat.tmpl, search.nat.tmpl, searchrenameview.nat.tmpl	
natSearchTableTitle	search.nat.tmpl	
natSearchTarget	search.nat.tmpl	
natSearchTotal	search.nat.tmpl, searchformat.nat.tmpl, searchrenameview.nat.tmpl	
natSep	changes.nat.tmpl, defaulttopbar.nat.tmpl, edit.nat.tmpl, moveattachment.nat.tmpl, preview.nat.tmpl, renamebase.nat.tmpl, searchbase.nat.tmpl, settings.nat.tmpl, view.nat.tmpl	

Class	Files	Description
natSettingsBody	settings.nat.tmpl	html body during settings action
natSideBar	defaultbody.nat.tmpl	
natSideBarContents	defaultbody.nat.tmpl	
natSideBarLeft	defaultbody.nat.tmpl	
natSideBarRight	defaultbody.nat.tmpl	
natSideBarSearch	searchbox.nat.tmpl	
natSideBarTitle	defaultsidebar.nat.tmpl	
natSubmitOptions	edit.nat.tmpl, edit.nattmpl, preview.nat.tmpl, preview.nat.tmpl	
natSyndicate	defaultbody.nat.tmpl	
natTopBar	defaulttopbar.nat.tmpl	
natTopBarSizer	defaulttopbar.nat.tmpl	
natTopLeft	defaulttopbar.nat.tmpl	
natTopLeftContents	defaulttopbar.nat.tmpl	
natTopRight	defaulttopbar.nat.tmpl	
natTopRightContents	defaulttopbar.nat.tmpl	
natTopicActions	defaulttopbar.nat.tmpl	
natTopicAttachments	attach.nat.tmpl, attachagain.nat.tmpl, view.nat.tmpl, view.plain.nat.tmpl, view.print.nat.tmpl	
natTopicEditForm	form.nat.tmpl	
natWikiTopic	formtables.nat.tmpl	
natTopicFormFirstCol	form.nat.tmpl, formtables.nat.tmpl	
natTopicFormLabel	form.nat.tmpl	
natTopicFormTitle	form.nat.tmpl, formtables.nat.tmpl	
natUndoAction	edit.nat.tmpl, preview.nat.tmpl	
natViewBody	view.nat.tmpl	html body for view action
natWebButtons	defaulttopbar.nat.tmpl	
natWebButtonsContents	defaulttopbar.nat.tmpl	
natWebSlogan	defaulttopbar.nat.tmpl	
natWebTitle	defaulttopbar.nat.tmpl	

[Edit](#) | [Attach](#) | [Print version](#) | [History: %REVISIONS%](#) | [Backlinks](#) | [Raw View](#) | [More topic actions](#)
 Topic revision: r1 - 09 Jan 2007 - 17:25:39 - ProjectContributor

- ☐ System
- Log In
- **Toolbox**
 -  Users
 -  Groups

Alphabetic list

-  Index
-  Search
-  Changes
-  Notifications
-  RSS Feed
-  Statistics
-  Preferences

- **User Reference**

- BeginnersStartHere
- TextFormattingRules
- Macros
- FormattedSearch
- QuerySearch
- DocumentGraphics
- SkinBrowser
- InstalledPlugins

- **Admin Maintenance**

- Reference Manual
- AdminToolsCategory
- InterWikis
- ManagingWebs
- SiteTools
- DefaultPreferences
- WebPreferences

- **Categories**

- Admin Documentation
- Admin Tools
- Developer Doc
- User Documentation
- User Tools

- **Webs**

- ☐ Public
- ☐ System

-
-



Copyright © by the contributing authors. All material on this site is the property of the contributing authors.

Ideas, requests, problems regarding Wiki? Send feedback