

Table of Contents

NatSkinCss.....	1
Alphabetic list.....	1

NatSkinCss

This is a reference guide to all css classes used by NatSkin. These are all *classes* and not *ids*, that is all classes below are applied to the html markup using `class="natXYZ"`. All classes referring to html elements that are part of the NatSkin templates are named using the `nat` prefix in their name (example: `natBodyContents`, `natMain`, `natSideBar`, etc).

NatSkin does not make use of positional css or floats. Instead the main layout is done using a html `<table>` element classified `natLayoutTable` that uses a fixed table layout (means: not depending on the inner content).

The reason for this is to provide a more reliable user experience on different browsers and a simplification of css code. So css means are used mainly for fonts, colors, spaces and margins but not for general page layouting on the client side. Instead different layouts are emitted by the server using different html markup.

The basic layout consists of a topbar (`natTopBar`), a middle part (`natMiddle`) holding the sidebar(s) (`natSideBar`) as well as the main area (`natMain`) and a bottom bar (`natBottomBar`). Within these boundaries NatSkin provides a one, two or three columns layout in the middle area depending on the sidebar being switched off, on the left/right side or displayed on both sides respectively. Different html markup and classification is done on the serverside so that adequate css takes effect in different configurations. For example if the sidebar is configured to be on the left it can be addressed using `natSideBarLeft` in addition to the standard `natSideBar` class. Accordingly the topic area (`natMain`) will be located on the opposite side and will be named `natMainRight` if the sidebar is on the left. If the sidebars are both switched off the `natMain` area will be called `natMainRight` and `natMainLeft` at the same time. The same logic applies to the `natBottomBar` although it is not part of the `natMiddle`. Nevertheless it will be classified `natBottomBarLeft` or `natBottomBarRight` depending on the sidebar being on the right or left side respectively. This is useful if the bottom bar is to be displayed under the `natMain` area. Additionally the `natBottomBar` will be classified as `natBottomBarBoth`.

Alphabetic list

Class	Files▲	Description
<code>natAttachBody</code>	<code>attach.nat.tmpl</code>	html body during attach action
<code>natTopicAttachments</code>	<code>attach.nat.tmpl,</code> <code>attachagain.nat.tmpl,</code> <code>view.nat.tmpl,</code> <code>view.plain.nat.tmpl,</code> <code>view.print.nat.tmpl</code>	
<code>natFormActionButton</code>	<code>attachagain.nat.tmpl</code>	
<code>natFormCancelButton</code>	<code>attachagain.nat.tmpl,</code> <code>attachnew.nat.tmpl</code>	
<code>natFormOkButton</code>	<code>attachagain.nat.tmpl,</code> <code>attachnew.nat.tmpl</code>	
<code>natNotes</code>	<code>attachsidebar.nat.tmpl,</code> <code>changeformsidebar.nat.tmpl,</code> <code>moveattachmentsidebar.nat.tmpl,</code> <code>renamesidebar.nat.tmpl,</code> <code>renamewebsidebar.nat.tmpl</code>	
<code>natChangeFormBody</code>	<code>changeform.nat.tmpl</code>	html body during changeform action
<code>natOkButton</code>	<code>changeform.nat.tmpl,</code> <code>moveattachment.nat.tmpl,</code>	

Class	Files▲	Description
	oops.nat tmpl, oopsattention.nat tmpl, oopschangepasswd.nat tmpl, oopseempty.nat tmpl, oopserrbase.nat tmpl, oopslanguagechanged.nat tmpl, oopsleaseconflict.nat tmpl, oopslocked.nat tmpl, oopslockedrename.nat tmpl, oopslogonbase.nat tmpl, oopsmngcreateweb.nat tmpl, oopsmore.nat tmpl, oopsnoformdef.nat tmpl, oopsresetpasswd.nat tmpl, oopsrev.nat tmpl, rename.nat tmpl, renameconfirm.nat tmpl, renamerefs.nat tmpl, renamewebbase.nat tmpl, renamewebconfirm.nat tmpl	
natCancelButton	changeform.nat tmpl, moveattachment.nat tmpl, oops.nat tmpl, oopsattention.nat tmpl, oopseempty.nat tmpl, oopserrbase.nat tmpl, oopsleaseconflict.nat tmpl, oopslocked.nat tmpl, oopslockedrename.nat tmpl, oopslogonbase.nat tmpl, oopsmngcreateweb.nat tmpl, oopsmore.nat tmpl, oopsnoformdef.nat tmpl, oopsresetpasswd.nat tmpl, oopsrev.nat tmpl, rename.nat tmpl, renameconfirm.nat tmpl, renamerefs.nat tmpl, renamewebbase.nat tmpl, renamewebconfirm.nat tmpl	
natChangesBody	changes.nat tmpl	html body during changes cgi action
natSep	changes.nat tmpl, defaulttopbar.nat tmpl, edit.nat tmpl, moveattachment.nat tmpl, preview.nat tmpl, renamebase.nat tmpl, searchbase.nat tmpl, settings.nat tmpl, view.nat tmpl	
natSearchHit	changes.nat tmpl, search.nat tmpl,	

Class	Files▲	Description
	searchrenameview.nat.tpl	
natSearchTable	changes.nat.tpl, search.nat.tpl, searchrenameview.nat.tpl	
natBottomBar	defaultbody.nat.tpl	bottom element below the natLayoutTable
natBottomBarBoth	defaultbody.nat.tpl	natBottomBarBoth conditional classification: sidebar switched off
natBottomBarLeft	defaultbody.nat.tpl	natBottomBarBoth conditional classification: sidebar on the right
natBottomBarRight	defaultbody.nat.tpl	natBottomBarBoth conditional classification: sidebar on the left
natBoxBorderBottomLeft	defaultbody.nat.tpl	
natBoxBorderBottomRight	defaultbody.nat.tpl	
natBoxBorderLeft	defaultbody.nat.tpl	
natBoxBorderRight	defaultbody.nat.tpl	
natBoxBorderTopLeft	defaultbody.nat.tpl	
natBoxBorderTopRight	defaultbody.nat.tpl	
natFeedIcon	defaultbody.nat.tpl	
natHeaderArt	defaultbody.nat.tpl	
natLayoutTable	defaultbody.nat.tpl	
natMainFooter	defaultbody.nat.tpl	
natMainFooterLeft	defaultbody.nat.tpl	
natMainFooterRight	defaultbody.nat.tpl	
natMainHeaderContents	defaultbody.nat.tpl	
natMainLeft	defaultbody.nat.tpl	
natMainRight	defaultbody.nat.tpl	
natMiddleLeft	defaultbody.nat.tpl	
natMiddleRight	defaultbody.nat.tpl	
natPageBox	defaultbody.nat.tpl	
natSideBar	defaultbody.nat.tpl	
natSideBarContents	defaultbody.nat.tpl	
natSideBarLeft	defaultbody.nat.tpl	
natSideBarRight	defaultbody.nat.tpl	
natSyndicate	defaultbody.nat.tpl	
natBottomBarContents	defaultbody.nat.tpl, view.plain.nat.tpl	contents container inside the natBottomBar
natCopyRight	defaultbody.nat.tpl, view.plain.nat.tpl	
natBodyContents	defaultbody.nat.tpl, view.plain.nat.tpl, view.print.nat.tpl	contains all page content inside the natPageBox
natMain	defaultbody.nat.tpl, view.plain.nat.tpl, view.print.nat.tpl	
natMainContents	defaultbody.nat.tpl, view.plain.nat.tpl,	

Class	Files▲	Description
	view.print.nat.tpl	
natMainFooterContents	defaultbody.nat.tpl, view.plain.nat.tpl, view.print.nat.tpl	
natMiddle	defaultbody.nat.tpl, view.plain.nat.tpl, view.print.nat.tpl	
natSideBarTitle	defaultsidebar.nat.tpl	
natSearchBox	defaultsidebar.nat.tpl, defaulttopbar.nat.tpl	
natTopBar	defaulttopbar.nat.tpl	
natTopBarSizer	defaulttopbar.nat.tpl	
natTopLeft	defaulttopbar.nat.tpl	
natTopLeftContents	defaulttopbar.nat.tpl	
natTopRight	defaulttopbar.nat.tpl	
natTopRightContents	defaulttopbar.nat.tpl	
natTopicActions	defaulttopbar.nat.tpl	
natWebButtons	defaulttopbar.nat.tpl	
natWebButtonsContents	defaulttopbar.nat.tpl	
natWebSlogan	defaulttopbar.nat.tpl	
natWebTitle	defaulttopbar.nat.tpl	
natEditBody	edit.nat.tpl	html body during edit cgi action
natSubmitOptions	edit.nat.tpl, edit.nattmpl, preview.nat.tpl, preview.nat.tpl	
natEdit	edit.nat.tpl, editform.nat.tpl, settings.nat.tpl	
natBottomTopicActions	edit.nat.tpl, preview.nat.tpl	
natCancelAction	edit.nat.tpl, preview.nat.tpl	
natCurrentAction	edit.nat.tpl, preview.nat.tpl	
natDoneAction	edit.nat.tpl, preview.nat.tpl	
natEditAction	edit.nat.tpl, preview.nat.tpl	
natFormAction	edit.nat.tpl, preview.nat.tpl	
natPreviewAction	edit.nat.tpl, preview.nat.tpl	
natSaveAction	edit.nat.tpl, preview.nat.tpl	
natUndoAction	edit.nat.tpl, preview.nat.tpl	
natBreadCrumbs	edit.nat.tpl, preview.nat.tpl, view.nat.tpl	

Class	Files▲	Description
natEditBoldButton	edittoolbar.nat.tmpl	
natEditBoldButtonAction	edittoolbar.nat.tmpl	
natEditCenterButton	edittoolbar.nat.tmpl	
natEditCenterButtonAction	edittoolbar.nat.tmpl	
natEditEditTools	edittoolbar.nat.tmpl	
natEditExtButton	edittoolbar.nat.tmpl	
natEditExtButtonAction	edittoolbar.nat.tmpl	
natEditH1Button	edittoolbar.nat.tmpl	
natEditH2Button	edittoolbar.nat.tmpl	
natEditH3Button	edittoolbar.nat.tmpl	
natEditH4Button	edittoolbar.nat.tmpl	
natEditHeadlineButtonAction	edittoolbar.nat.tmpl	
natEditHeadlineTools	edittoolbar.nat.tmpl	
natEditHelpButton	edittoolbar.nat.tmpl	
natEditHelpTools	edittoolbar.nat.tmpl	
natEditImageButton	edittoolbar.nat.tmpl	
natEditImageButtonAction	edittoolbar.nat.tmpl	
natEditIntButton	edittoolbar.nat.tmpl	
natEditIntButtonAction	edittoolbar.nat.tmpl	
natEditItalicButton	edittoolbar.nat.tmpl	
natEditItalicButtonAction	edittoolbar.nat.tmpl	
natEditJustifyButton	edittoolbar.nat.tmpl	
natEditJustifyButtonAction	edittoolbar.nat.tmpl	
natEditLeftButton	edittoolbar.nat.tmpl	
natEditLeftButtonAction	edittoolbar.nat.tmpl	
natEditMathButton	edittoolbar.nat.tmpl	
natEditMathButtonAction	edittoolbar.nat.tmpl	
natEditObjectTools	edittoolbar.nat.tmpl	
natEditParagraphTools	edittoolbar.nat.tmpl	
natEditPreviewButton	edittoolbar.nat.tmpl	
natEditRightButton	edittoolbar.nat.tmpl	
natEditRightButtonAction	edittoolbar.nat.tmpl	
natEditSignatureButton	edittoolbar.nat.tmpl	
natEditSignatureButtonAction	edittoolbar.nat.tmpl	
natEditStrikeButton	edittoolbar.nat.tmpl	
natEditStrikeButtonAction	edittoolbar.nat.tmpl	
natEditSubButton	edittoolbar.nat.tmpl	
natEditSubButtonAction	edittoolbar.nat.tmpl	
natEditSupButton	edittoolbar.nat.tmpl	
natEditSupButtonAction	edittoolbar.nat.tmpl	
natEditTextTools	edittoolbar.nat.tmpl	
natEditToolBar	edittoolbar.nat.tmpl	
natEditUnderlinedButton	edittoolbar.nat.tmpl	
natEditUnderlinedButtonAction	edittoolbar.nat.tmpl	
natEditVerbatimButton	edittoolbar.nat.tmpl	
natEditVerbatimButtonAction	edittoolbar.nat.tmpl	
natEditCancelButton	edittoolbar.nat.tmpl, previewtoolbar.nat.tmpl	
natEditDoneButton		

Class	Files▲	Description
	edittoolbar.nat.tmpl, previewtoolbar.nat.tmpl	
natEditSaveButton	edittoolbar.nat.tmpl, previewtoolbar.nat.tmpl	
natEditUndoButton	edittoolbar.nat.tmpl, previewtoolbar.nat.tmpl	
natAction	edittopicactions.nat.tmpl, previewtopicactions.nat.tmpl, settingstopicactions.nat.tmpl	highlights current action
natTopicEditForm	form.nat.tmpl	
natTopicFormLabel	form.nat.tmpl	
natTopicFormFirstCol	form.nat.tmpl, formtables.nat.tmpl	
natTopicFormTitle	form.nat.tmpl, formtables.nat.tmpl	
natWikiTopic	formtables.nat.tmpl	
natMoveAttachmentBody	moveattachment.nat.tmpl	html body while moving attachments
natContact	oops.nat.tmpl	
natOops	oops.nat.tmpl	
natOopsBody	oops.nat.tmpl	html body in oops messages
natOopsMessage	oops.nat.tmpl	
natOopsButtons	oops.nat.tmpl, oopsattention.nat.tmpl, oopschangepasswd.nat.tmpl, oopsempty.nat.tmpl, oopslanguagechanged.nat.tmpl, oopsleaseconflict.nat.tmpl, oopslocked.nat.tmpl, oopslockedrename.nat.tmpl, oopsmngcreateweb.nat.tmpl, oopsnoformdef.nat.tmpl	
natAltButton	oopsleaseconflict.nat.tmpl, oopslocked.nat.tmpl, oopslockedrename.nat.tmpl, oopslogonbase.nat.tmpl, oopsmore.nat.tmpl, oopsnoformdef.nat.tmpl, oopsrev.nat.tmpl, renamebase.nat.tmpl, renamewebbase.nat.tmpl	alternative submit action in skin forms, see also natOkButton, natCancelButton
natLogonForm	oopslogonbase.nat.tmpl	
natLogonFormButtons	oopslogonbase.nat.tmpl	
natLogonFormHolder	oopslogonbase.nat.tmpl	
natLogonFormLogin	oopslogonbase.nat.tmpl	
natLogonFormPassword	oopslogonbase.nat.tmpl	
natErrorMsg	oopsmngcreateweb.nat.tmpl, oopsmoveerr.nat.tmpl, oopsrenameerr.nat.tmpl, oopssaveerr.nat.tmpl, oopssendmailerr.nat.tmpl, oopssoftwareerr.nat.tmpl	

Class	Files▲	Description
natDiffOptions	oopsrev.nat.tmpl	
natBody	page.nat.tmpl, view.plain.nat.tmpl, view.print.nat.tmpl	html body, see also natBodyPlain, natBodyPrint, nat...Body
natPreviewBody	preview.nat.tmpl	html body during preview action
natEditButton	previewtoolbar.nat.tmpl	
natPreviewToolBar	previewtoolbar.nattmpl	
natRdiffBody	rdiff.nat.tmpl	html body during rdiff action
natRevision	rdiff.nat.tmpl, view.nat.tmpl	
natRenameBody	renamebase.nat.tmpl	html body in rename actions
natSearchRenameContents	renamebase.nat.tmpl, renamewebbase.nat.tmpl	
natRenameWebBody	renamewebbase.nat.tmpl	html body in rename web action
natSearch	search.nat.tmpl	
natSearchAuthor	search.nat.tmpl	
natSearchHitEven	search.nat.tmpl	
natSearchHitOdd	search.nat.tmpl	
natSearchRevision	search.nat.tmpl	
natSearchTableTitle	search.nat.tmpl	
natSearchTarget	search.nat.tmpl	
natSearchString	search.nat.tmpl, searchformat.nat.tmpl, searchrenameview.nat.tmpl	
natSearchTotal	search.nat.tmpl, searchformat.nat.tmpl, searchrenameview.nat.tmpl	
natSearchBody	searchbase.nat.tmpl	html body in search action
natSearchBox	searchbox.nat.tmpl	
natSideBarSearch	searchbox.nat.tmpl	
natSettingsBody	settings.nat.tmpl	html body during settings action
natViewBody	view.nat.tmpl	html body for view action
natBodyPlain	view.plain.nat.tmpl	html boy using the plain.nat skin, see also natBody
natBodyPrint	view.print.nat.tmpl	using the print.nat skin, see also natBody

[Edit](#) | [Attach](#) | [Print version](#) | [History: %REVISIONS%](#) | [Backlinks](#) | [Raw View](#) | [More topic actions](#)
 Topic revision: r1 - 09 Jan 2007 - 17:25:39 - ProjectContributor

- System

- Log In

- **Toolbox**
 - Users

-  Groups
-  Index
-  Search
-  Changes
-  Notifications
-  RSS Feed
-  Statistics
-  Preferences

• User Reference

- BeginnersStartHere
- TextFormattingRules
- Macros
- FormattedSearch
- QuerySearch
- DocumentGraphics
- SkinBrowser
- InstalledPlugins

• Admin Maintenance

- Reference Manual
- AdminToolsCategory
- InterWikis
- ManagingWebs
- SiteTools
- DefaultPreferences
- WebPreferences

• Categories

- Admin Documentation
- Admin Tools
- Developer Doc
- User Documentation
- User Tools

• Webs

- Public
- System

•

•



Copyright © by the contributing authors. All material on this site is the property of the contributing authors.

Ideas, requests, problems regarding Wiki? Send feedback