

Table of Contents

NatSkinWebCreateNewTopicTemplate.....	1
Create New Topic in the System Web.....	1
Title:.....	1
Name:.....	1
Parent:.....	2
Template:.....	2

NatSkinWebCreateNewTopicTemplate

You are here: Wiki >System Web>NatSkinWebCreateNewTopicTemplate (26 Aug 2009, ProjectContributor)EditAttach

%TMPL:INCLUDE{"view"}% %TMPL:DEF{"contentheader_container"}%%TMPL:END%

%TMPL:DEF{"dialog"}%

%TEXT%

%TMPL:END%

%TMPL:DEF{"content"}%

%TMPL:END%

%TMPL:DEF{"createform"}%

Show advanced optionsHide advanced options

%TMPL:END%

%TMPL:DEF{"formtitle"}%

Create New Topic in the System Web

%TMPL:END%

%TMPL:DEF{"newtopicitle"}%%TMPL:END% %TMPL:DEF{"newtopic"}%%TMPL:END%

{ do not show the following elements }% %TMPL:DEF{"topicactions"}%%TMPL:END%

%TMPL:DEF{"formstartstep"}%

%TMPL:END%

%TMPL:DEF{"formendstep"}%

%TMPL:END%

%TMPL:DEF{"topicitlestep"}%

Title:

%TMPL:END%

%TMPL:DEF{"topicnamestep"}%

Name:

Allow non WikiWord for the new topic name

It's usually best to choose a WikiWord for the new topic name, otherwise automatic linking may not work. Characters not allowed in topic names, such as spaces will automatically be removed.

%TMPL:END%

%TMPL:DEF{"topicparentstep"}%

Parent:

%TMPL:END%

%TMPL:DEF{"hiddentopicparentstep"}% %TMPL:END%

%TMPL:DEF{"hiddentopicnamestep"}%

%TMPL:DEF{"topictemplatestep"}%

Template:

%TMPL:END%

%TMPL:DEF{"formbuttons"}%

%TMPL:END%

%TMPL:DEF{"formstart"}% %TMPL:END%

%TMPL:DEF{"topictitleinput"}%

Free form topic title text. The actual topic *name* will be derived from the title automatically. You can specify a different topic name in the advanced options below.

%TMPL:END%

%TMPL:DEF{"topicname"}%

Topic name the new page is associated with, preferably a WikiWord.

%TMPL:END%

%TMPL:DEF{"topicparent"}%

Topic name that the newly created topic will be a child of.

%TMPL:END%

%TMPL:DEF{"topictemplate"}%

Initialize the new topic using a template. If you leave this empty, a default template will be used.

%TMPL:END%

%TMPL:DEF{"topictemplate"}%

Initialize the new topic using a template.

%TMPL:END%

%TMPL:DEF{"submit"}% Submit

Name:

%TMPL:DEF{"cancel"}% Cancel %TMPL:END%

%TMPL:DEF{"formend"}%%TMPL:END%

%TMPL:DEF{"javascript"}%

%TMPL:END%

Edit | Attach | Print version | History: %REVISIONS% | Backlinks | Raw View | More topic actions
Topic revision: r8 - 26 Aug 2009 - 22:24:48 - ProjectContributor

- . System
- Log In
- **Toolbox**
 - Users
 - Groups
 - Index
 - Search
 - Changes
 - Notifications
 - RSS Feed
 - Statistics
 - Preferences
- **User Reference**
 - BeginnersStartHere
 - TextFormattingRules
 - Macros
 - FormattedSearch
 - QuerySearch
 - DocumentGraphics
 - SkinBrowser
 - InstalledPlugins
- **Admin Maintenance**
 - Reference Manual
 - AdminToolsCategory
 - InterWikis
 - ManagingWebs
 - SiteTools
 - DefaultPreferences
 - WebPreferences
- **Categories**
 - Admin Documentation
 - Admin Tools
 - Developer Doc
 - User Documentation
 - User Tools
- **Webs**

- Public
- System

-
-



Copyright © by the contributing authors. All material on this site is the property of the contributing authors.

Ideas, requests, problems regarding Wiki? Send feedback