

Table of Contents

NatSkinWebCreateNewTopicTemplate.....	1
Create New Topic in the System Web.....	1
Title:.....	1
Name:.....	1
Parent:.....	2
Template:.....	2

NatSkinWebCreateNewTopicTemplate

You are here: Wiki >System Web>NatSkinWebCreateNewTopicTemplate (26 Aug 2009, ProjectContributor)EditAttach

%TMPL:INCLUDE{"view"}% %TMPL:DEF{"contentheader_container"}%%TMPL:END%

%TMPL:DEF{"dialog"}%

%TEXT%

%TMPL:END%

%TMPL:DEF{"content"}%

%TMPL:END%

%TMPL:DEF{"createform"}%

Show advanced optionsHide advanced options

%TMPL:END%

%TMPL:DEF{"formtitle"}%

Create New Topic in the System Web

%TMPL:END%

%TMPL:DEF{"newtopicitle"}%%TMPL:END% %TMPL:DEF{"newtopic"}%%TMPL:END%

%{ do not show the following elements }% %TMPL:DEF{"topicactions"}%%TMPL:END%

%TMPL:DEF{"formstartstep"}%

%TMPL:END%

%TMPL:DEF{"formendstep"}%

%TMPL:END%

%TMPL:DEF{"topicitlestep"}%

Title:

%TMPL:END%

%TMPL:DEF{"topicnamestep"}%

Name:

Allow non WikiWord for the new topic name

It's usually best to choose a WikiWord for the new topic name, otherwise automatic linking may not work. Characters not allowed in topic names, such as spaces will automatically be removed.

%TMPL:END%

%TMPL:DEF{"topicparentstep"}%

Parent:

%TMPL:END%

%TMPL:DEF{"hiddentopicparentstep"}% %TMPL:END%

%TMPL:DEF{"hiddentopicnamestep"}%

%TMPL:DEF{"topictemplatestep"}%

Template:

%TMPL:END%

%TMPL:DEF{"formbuttons"}%

%TMPL:END%

%TMPL:DEF{"formstart"}% %TMPL:END%

%TMPL:DEF{"topictitleinput"}%

Free form topic title text. The actual topic *name* will be derived from the title automatically. You can specify a different topic name in the advanced options below.

%TMPL:END%

%TMPL:DEF{"topicname"}%

Topic name the new page is associated with, preferably a WikiWord.

%TMPL:END%

%TMPL:DEF{"topicparent"}%

Topic name that the newly created topic will be a child of.

%TMPL:END%

%TMPL:DEF{"topictemplate"}%

Initialize the new topic using a template. If you leave this empty, a default template will be used.

%TMPL:END%

%TMPL:DEF{"topictemplate"}%

Initialize the new topic using a template.

%TMPL:END%

%TMPL:DEF{"submit"}% Submit

Name:

%TMPL:DEF{"cancel"}% Cancel %TMPL:END%

%TMPL:DEF{"formend"}%%TMPL:END%

%TMPL:DEF{"javascript"}%

%TMPL:END%

Edit | Attach | Print version | History: %REVISIONS% | Backlinks | Raw View | More topic actions
Topic revision: r8 - 26 Aug 2009 - 22:24:48 - ProjectContributor

-  System

- Log In

- **Toolbox**

-  Users
-  Groups
-  Index
-  Search
-  Changes
-  Notifications
-  RSS Feed
-  Statistics
-  Preferences

- **User Reference**

- BeginnersStartHere
- TextFormattingRules
- Macros
- FormattedSearch
- QuerySearch
- DocumentGraphics
- SkinBrowser
- InstalledPlugins

- **Admin Maintenance**

- Reference Manual
- AdminToolsCategory
- InterWikis
- ManagingWebs
- SiteTools
- DefaultPreferences
- WebPreferences

- **Categories**

- Admin Documentation
- Admin Tools
- Developer Doc
- User Documentation
- User Tools

- **Webs**

- ☐ Public
- ☐ System

•
•



Copyright © by the contributing authors. All material on this site is the property of the contributing authors.

Ideas, requests, problems regarding Wiki? Send feedback