

Table of Contents

RatingContrib.....	1
Usage.....	1
Installation Instructions.....	1
Using the Contrib in a Plugin.....	1
Contrib Info.....	2

RatingContrib

Rating widget for forms

This is a rating widget that can support a "line of stars" style input field.

Usage

You can use the new `rating` type in form fields. The result of the rating is captured as an integer, and displayed as a line of stars. For example,

Quality	★★★★★★★★★
---------	-----------

Install the contrib. You can immediately use the `rating` type in your forms. Rating values are stored as integers.

To use it in a form, use the type `rating`, with the optional modified `+small` for small stars. The `size` field dictates how wide the rating is e.g. 5 means a 5 star range. The `value` field specifies the initial value. For example, the form definition:

Name	*Type*	*Size*	*Values*
Supplier	text	40	
Quality	rating+small	10	5
Order Date	date		

looks like this when it is edited:

Supplier	Ferrets'R'Us		
Quality	★★★★★★★★★		
Order Date	6 Jun 2007		

Installation Instructions

You do not need to install anything in the browser to use this extension. The following instructions are for the administrator who installs the extension on the server.

Open `configure`, and open the "Extensions" section. Use "Find More Extensions" to get a list of available extensions. Select "Install".

If you have any problems, or if the extension isn't available in `configure`, then you can still install manually from the command-line. See <http://foswiki.org/Support/ManuallyInstallingExtensions> for more help.

Using the Contrib in a Plugin

A typical application of this widget is its use to capture a rating under the control of a plugin. It is straightforward to use in this role. The API to the contrib is:

```
Foswiki::Contrib::RatingContrib::renderRating($name, $size, $small,
$value, $input_attrs) -> $html
```

where

- `$name` is the name you want to give to the `input` element that will get the rating value
- `$size` is the total width of the rating bar, typically 5 or 10
- `$small` is a boolean; if true, use small (10px) stars in place of the default (25px) stars
- `$value` is the current value of the rating. This may be a floating-point value, but should be in the range 0..\$size
- `$input_attrs` is a hash that contains additional attributes to be assigned to the `input` element used to capture the rating value. Typically the only attribute callers will need to use is `onchange`, which should be set to a callback that will be invoked when the value in the `input` is changed. If you pass `undef` for this parameter, then the line of stars will be "read only".

The contrib will automatically look after the CSS and Javascript it needs to load to work.

For example, let's say we want to generate a conventional form that contains a line of stars prompt. We want the value of the rating bar to be submitted along with everything else in the form.

```
my $html =
  CGI::form({action="some url", method=>"post"},
    Foswiki::Contrib::RatingContrib::renderRating('rating', 5, 0, 0, {})
    .CGI::submit("OK"));
```

Say instead that we want to generate an alert when a line of stars has its value changed:

```
$html = Foswiki::Contrib::RatingContrib::renderRating('rating', 5, 0, 0,
  {onchange=>'javascript: alert("Rated")'})
```

Of course, when you use the `onchange` event, you don't need a form. This model is good if you want (for example) to update values using a REST handler.








Contrib Info

Author(s):	Crawford Currie http://c-dot.co.uk
Copyright:	© 2007 C-Dot Consultants
License:	GPL (Gnu General Public License)
Version:	4083 (2009-06-10)
Change History:	
10 Jun 2009:	Foswikitask:1258: port to Foswiki
27 Jun 2006:	First version
Dependencies:	None
Home:	http://foswiki.org/Extensions/RatingContrib
Support:	http://foswiki.org/Support/RatingContrib

Related Topics: [Contribs](#), [DeveloperDocumentationCategory](#), [AdminDocumentationCategory](#), [DefaultPreferences](#), [SitePreferences](#)

Edit | Attach | Print version | History: %REVISIONS% | Backlinks | Raw View | More topic actions
 Topic revision: r2 - 21 Jan 2010 - 11:57:04 - AdminUser

- ☐ System
- Log In
- **Toolbox**
-  Users
-  Groups

-  Index
-  Search
-  Changes
-  Notifications
-  RSS Feed
-  Statistics
-  Preferences

- **User Reference**

- BeginnersStartHere
- TextFormattingRules
- Macros
- FormattedSearch
- QuerySearch
- DocumentGraphics
- SkinBrowser
- InstalledPlugins

- **Admin Maintenance**

- Reference Manual
- AdminToolsCategory
- InterWikis
- ManagingWebs
- SiteTools
- DefaultPreferences
- WebPreferences

- **Categories**

- Admin Documentation
- Admin Tools
- Developer Doc
- User Documentation
- User Tools

- **Webs**

- ☐ Public
- ☐ System

-
-



Copyright © by the contributing authors. All material on this site is the property of the contributing authors.

Ideas, requests, problems regarding Wiki? Send feedback