

# **Table of Contents**

<b>Custom rendered bullets.....</b>	<b>1</b>
-------------------------------------	----------

# Custom rendered bullets

The RenderListPlugin can render bulleted lists in a variety of different ways.

Use `%RENDERLIST{ parameters }%` before any bulleted list.

More Information...

See More Tips...

Edit | Attach | Print version | History: %REVISIONS% | Backlinks | Raw View | More topic actions  
Topic revision: r0 - 05 Feb 2005 - 04:16:50 - ProjectContributor

- System
- Log In
- **Toolbox**
  -  Users
  -  Groups
  -  Index
  -  Search
  -  Changes
  -  Notifications
  -  RSS Feed
  -  Statistics
  -  Preferences
- **User Reference**
  - BeginnersStartHere
  - TextFormattingRules
  - Macros
  - FormattedSearch
  - QuerySearch
  - DocumentGraphics
  - SkinBrowser
  - InstalledPlugins
- **Admin Maintenance**
  - Reference Manual
  - AdminToolsCategory
  - InterWikis
  - ManagingWebs
  - SiteTools
  - DefaultPreferences
  - WebPreferences
- **Categories**
  - Admin Documentation
  - Admin Tools
  - Developer Doc
  - User Documentation
  - User Tools

- Webs
  - Public
  - System
- •



Copyright © by the contributing authors. All material on this site is the property of the contributing authors.

Ideas, requests, problems regarding Wiki? Send feedback