

Table of Contents

UserSetting.....	1
User Settings -- preference settings customizable by users.....	1

UserSetting

You are here: Wiki >System Web>UserSetting (21 Aug 2007, ProjectContributor)EditAttach

User Settings -- preference settings customizable by users

Some of the preference settings are explicitly intended to be customized by users, though a default is provided in System.DefaultPreferences and site wide customisation can take place in Main.SitePreferences.

User settings are customised by asetting a value in the users' personal topic. For example, Example:

```
* Set LINKTOOLTIPINFO = off
```

This value will apply for the user when they are logged in, but will not affect other users.

See also:

- System.DefaultPreferences - default preference settings
- Main.SitePreferences - preference settings local to this site
- Macros - an alphabetical list of all macros

Edit | Attach | Print version | History: %REVISIONS% | Backlinks | Raw View | More topic actions

Topic revision: r2 - 21 Aug 2007 - 00:46:38 - ProjectContributor

- .System

- Log In

- **Toolbox**

- Users
- Groups
- Index
- Search
- Changes
- Notifications
- RSS Feed
- Statistics
- Preferences

- **User Reference**

- BeginnersStartHere
- TextFormattingRules
- Macros
- FormattedSearch
- QuerySearch
- DocumentGraphics
- SkinBrowser
- InstalledPlugins

- **Admin Maintenance**
- Reference Manual
- AdminToolsCategory
- InterWikis
- ManagingWebs
- SiteTools
- DefaultPreferences
- WebPreferences

- **Categories**
- Admin Documentation
- Admin Tools
- Developer Doc
- User Documentation
- User Tools

- **Webs**
- Public
- System

-
-



Copyright © by the contributing authors. All material on this site is the property of the contributing authors.

Ideas, requests, problems regarding Wiki? Send feedback