

Table of Contents

VarDISPLAYTIME.....	1
DISPLAYTIME{"format"} -- formatted display time.....	1

VarDISPLAYTIME

You are here: Wiki >System Web>VarDISPLAYTIME (09 Jan 2009, ProjectContributor)EditAttach

DISPLAYTIME{"format"} -- formatted display time

- Formatted time - either GMT or Local server time, depending on {DisplayTimeValues} setting in configure. Same format qualifiers as %GMTIME%
- Syntax: %DISPLAYTIME% OR %DISPLAYTIME{"format"}%
- %DISPLAYTIME% The time is shown as hh:mm (24 hour clock)
 - ◆ Expands to: 27 Oct 2026 - 04:48
- Example: %DISPLAYTIME{"\$hou:\$min"}% expands to 04:48
- Related: GMTIME, SERVERTIME

Edit | Attach | Print version | History: %REVISIONS% | Backlinks | Raw View | More topic actions

Topic revision: r1 - 09 Jan 2009 - 13:00:00 - ProjectContributor

- .System
- Log In
- **Toolbox**
 - Users
 - Groups
 - Index
 - Search
 - Changes
 - Notifications
 - RSS Feed
 - Statistics
 - Preferences
- **User Reference**
 - BeginnersStartHere
 - TextFormattingRules
 - Macros
 - FormattedSearch
 - QuerySearch
 - DocumentGraphics
 - SkinBrowser
 - InstalledPlugins
- **Admin Maintenance**
 - Reference Manual
 - AdminToolsCategory

- InterWikis
- ManagingWebs
- SiteTools
- DefaultPreferences
- WebPreferences

- **Categories**
- Admin Documentation
- Admin Tools
- Developer Doc
- User Documentation
- User Tools

- **Webs**
- Public
- System

-
-



Copyright © by the contributing authors. All material on this site is the property of the contributing authors.
Ideas, requests, problems regarding Wiki? Send feedback