

Table of Contents

Var ENCODE	1
ENCODE {"string"} -- encodes a string to HTML entities.....	1

VarENCODE


You are here: Wiki >System Web>VarENCODE (09 Jan 2009, ProjectContributor)EditAttach




ENCODE{"string"} -- encodes a string to HTML entities

- Encode "special" characters to HTML numeric entities. Encoded characters are:
 - ◆ all non-printable ASCII characters below space, except newline ("`\n`") and linefeed ("`\r`")
 - ◆ HTML special characters "<", ">", "&", single quote (') and double quote (")
 - ◆ TML special characters "%", "[", "]", "@", "_", "*", "=", and "| "

- Syntax: `%ENCODE{"string"}%`

- Supported parameters:


Parameter:	Description: 	Default:
<code>type="entity"</code> <code>type="safe"</code> <code>type="html"</code> <code>type="quotes"</code> <code>type="url"</code>	Control how special characters are encoded entity: Encode special characters into HTML entities, like a double quote into <code>&#034;</code> . Does not encode <code>\n</code> or <code>\r</code> . safe: Encode characters ' "<>% into HTML entities. html: As <code>type="entity"</code> except it also encodes <code>\n</code> and <code>\r</code> quotes: Escape double quotes with backslashes (<code>\</code> "), does not change other characters url: Encode special characters for URL parameter use, like a double quote into <code>%22</code> (this is the default)	<code>type="url"</code>
<code>"string"</code>	String to encode	required (can be empty)

- Example: `%ENCODE{"spaced name"}%` expands to `spaced%20name`
-  Values of HTML input fields must be entity encoded.
Example: `<input type="text" name="address" value="%ENCODE{ "any text" type="entity" }%" />`
-  Double quotes in strings must be escaped when passed into other macros.
Example: `%SEARCH{ "%ENCODE{ "string with "quotes" type="quotes" }%" noheader="on" }%`
-  ENCODE can be used to filter user input from URL parameters and similar to protect against cross-site scripting. The safest approach is to use `type="entity"`. This can however prevent an application from fully working. You can then use `type="safe"` which encodes only the characters ' "<>% into HTML entities (same as `encode="safe"`). When ENCODE is passing a string inside another macro always use double quotes (") `type="quote"`. For maximum security against cross-site scripting you are advised to install the Foswiki:Extensions.SafeWikiPlugin.

- Related: URLPARAM










Edit | Attach | Print version | History: `%REVISIONS%` | Backlinks | Raw View | More topic actions

Topic revision: r1 - 09 Jan 2009 - 13:00:00 - ProjectContributor

-  System

- Log In

- **Toolbox**

-  Users
-  Groups
-  Index
-  Search
-  Changes
-  Notifications
-  RSS Feed
-  Statistics
-  Preferences

- **User Reference**

- BeginnersStartHere
- TextFormattingRules
- Macros
- FormattedSearch
- QuerySearch
- DocumentGraphics
- SkinBrowser
- InstalledPlugins

- **Admin Maintenance**

- Reference Manual
- AdminToolsCategory
- InterWikis
- ManagingWebs
- SiteTools
- DefaultPreferences
- WebPreferences

- **Categories**

- Admin Documentation
- Admin Tools
- Developer Doc
- User Documentation
- User Tools

- **Webs**

- ☐ Public
- ☐ System

-
-



Copyright © by the contributing authors. All material on this site is the property of the contributing authors.

Ideas, requests, problems regarding Wiki? Send feedback