

Table of Contents

VarHTTP	1
HTTP -- get HTTP headers.....	1

VarHTTP

You are here: Wiki >System Web>VarHTTP (09 Jan 2009, ProjectContributor)EditAttach

HTTP -- get HTTP headers

- Called with the name of an HTTP header field, returns its value. Capitalization and the use of hyphens versus underscores are not significant.
- Syntax: %HTTP%
- Syntax: %HTTP{ "Header-name" }%

- **Examples:**

%HTTP%	
%HTTP{ "Accept-language" }%	
%HTTP{ "User-Agent" }%	Mozilla/5.0 AppleWebKit?/537.36 (KHTML, like Gecko; compatible; ClaudeBot?/1.0; +claudobot@anthropic.com)

- You can see the HTTP headers your browser sends to the server on a number of sites e.g. <http://www.ericgiguere.com/tools/http-header-viewer.html>
- Related: HTTPS, REMOTE_ADDR, REMOTE_PORT, REMOTE_USER

Edit | Attach | Print version | History: %REVISIONS% | Backlinks | Raw View | More topic actions
Topic revision: r1 - 09 Jan 2009 - 13:00:00 - ProjectContributor

- . System
- Log In
- **Toolbox**
 - Users
 - Groups
 - Index
 - Search
 - Changes
 - Notifications
 - RSS Feed
 - Statistics
 - Preferences
- **User Reference**
 - BeginnersStartHere
 - TextFormattingRules
 - Macros
 - FormattedSearch
 - QuerySearch
 - DocumentGraphics
 - SkinBrowser
 - InstalledPlugins
- **Admin Maintenance**
 - Reference Manual
 - AdminToolsCategory

- InterWikis
- ManagingWebs
- SiteTools
- DefaultPreferences
- WebPreferences

- **Categories**
- Admin Documentation
- Admin Tools
- Developer Doc
- User Documentation
- User Tools

- **Webs**
- Public
- System

-
-



Copyright © by the contributing authors. All material on this site is the property of the contributing authors.

Ideas, requests, problems regarding Wiki? Send feedback