

Table of Contents

VarSCRIPTURL.....	1
SCRIPTURL{"script"} -- URL of script.....	1

VarSCRIPTURL

You are here: Wiki >System Web>VarSCRIPTURL (09 Jan 2009, ProjectContributor)EditAttach

SCRIPTURL{"script"} -- URL of script

- Syntax: %SCRIPTURL% OR %SCRIPTURL{ "script" }%
- %SCRIPTURL% returns the base URL of scripts - expands to https://wiki.iac.ethz.ch/bin
- Expands to: https://wiki.iac.ethz.ch/bin/script
- Example: To get the authenticated version of the current topic you can write %SCRIPTURL{ "viewauth" }%/%WEB%/%TOPIC% which expands to https://wiki.iac.ethz.ch/bin/viewauth/System/VarSCRIPTURL
- **⚠** In most cases you should use %SCRIPTURLPATH{ "script" }% instead, as it works with URL rewriting much better
- **⚠** The edit script should always be used in conjunction with ?t=%GMTIME{ "\$epoch" }% to ensure pages about to be edited are not cached in the browser
- Related: PUBURL, SCRIPTNAME, SCRIPTSUFFIX, SCRIPTURLPATH

[Edit](#) | [Attach](#) | [Print version](#) | [History](#): %REVISIONS% | [Backlinks](#) | [Raw View](#) | [More topic actions](#)
Topic revision: r1 - 09 Jan 2009 - 13:00:00 - ProjectContributor

- [System](#)
- [Log In](#)
- **Toolbox**
 - [Users](#)
 - [Groups](#)
 - [Index](#)
 - [Search](#)
 - [Changes](#)
 - [Notifications](#)
 - [RSS Feed](#)
 - [Statistics](#)
 - [Preferences](#)
- **User Reference**
 - [BeginnersStartHere](#)
 - [TextFormattingRules](#)
 - [Macros](#)
 - [FormattedSearch](#)
 - [QuerySearch](#)
 - [DocumentGraphics](#)
 - [SkinBrowser](#)
 - [InstalledPlugins](#)
- **Admin Maintenance**
 - [Reference Manual](#)
 - [AdminToolsCategory](#)
 - [InterWikis](#)

- ManagingWebs
- SiteTools
- DefaultPreferences
- WebPreferences

- **Categories**

- Admin Documentation
- Admin Tools
- Developer Doc
- User Documentation
- User Tools

- **Webs**

- Public
- System

•

•



Copyright © by the contributing authors. All material on this site is the property of the contributing authors.

Ideas, requests, problems regarding Wiki? Send feedback