

Table of Contents

VarSESSIONVARIABLE.....	1
SESSION_VARIABLE -- get, set or clear a session variable.....	1

VarSESSIONVARIABLE

You are here: Wiki >System Web>VarSESSIONVARIABLE (09 Jan 2009, ProjectContributor)EditAttach

SESSION VARIABLE -- get, set or clear a session variable

- Syntax: %SESSION_VARIABLE { "name" } %
- Syntax: %SESSION_VARIABLE { "name" set="value" } %
- Syntax: %SESSION_VARIABLE { "name" clear="" } %
-  The users ID is in the AUTHUSER session variable, and is read-only
- Related: UserAuthentication, AUTHREALM, SESSIONID, SESSIONVAR, LOGIN, LOGOUT

[Edit](#) | [Attach](#) | [Print version](#) | History: %REVISIONS% | [Backlinks](#) | [Raw View](#) | More topic actions
Topic revision: r1 - 09 Jan 2009 - 13:00:00 - ProjectContributor

-  System
- Log In
- **Toolbox**
 -  Users
 -  Groups
 -  Index
 -  Search
 -  Changes
 -  Notifications
 -  RSS Feed
 -  Statistics
 -  Preferences
- **User Reference**
 - BeginnersStartHere
 - TextFormattingRules
 - Macros
 - FormattedSearch
 - QuerySearch
 - DocumentGraphics
 - SkinBrowser
 - InstalledPlugins
- **Admin Maintenance**
 - Reference Manual
 - AdminToolsCategory
 - InterWikis
 - ManagingWebs
 - SiteTools
 - DefaultPreferences
 - WebPreferences
- **Categories**

- Admin Documentation
- Admin Tools
- Developer Doc
- User Documentation
- User Tools

- Webs
- Public
- System

•

•



Copyright © by the contributing authors. All material on this site is the property of the contributing authors.

Ideas, requests, problems regarding Wiki? Send feedback