

Table of Contents

VarSTARTINCLUDE.....	1
STARTINCLUDE -- start position of topic text if included.....	1

VarSTARTINCLUDE

You are here: Wiki >System Web>VarSTARTINCLUDE (09 Jan 2009, ProjectContributor)EditAttach

STARTINCLUDE -- start position of topic text if included

- If present in included topic, start to include text from this location up to the end, or up to the location of the %STOPINCLUDE% macro. A normal view of the topic shows everything except the %STARTINCLUDE% macro itself.
-  If you want more than one part of the topic included, use %STARTSECTION{type="include"}% instead
- Syntax: %STARTINCLUDE%
- Related: INCLUDE, STARTSECTION, STOPINCLUDE

[Edit](#) | [Attach](#) | [Print version](#) | [History](#): %REVISIONS% | [Backlinks](#) | [Raw View](#) | [More topic actions](#)
Topic revision: r1 - 09 Jan 2009 - 13:00:00 - ProjectContributor

-  System
- Log In
- **Toolbox**
 -  Users
 -  Groups
 -  Index
 -  Search
 -  Changes
 -  Notifications
 -  RSS Feed
 -  Statistics
 -  Preferences
- **User Reference**
 - BeginnersStartHere
 - TextFormattingRules
 - Macros
 - FormattedSearch
 - QuerySearch
 - DocumentGraphics
 - SkinBrowser
 - InstalledPlugins
- **Admin Maintenance**
 - Reference Manual
 - AdminToolsCategory
 - InterWikis
 - ManagingWebs
 - SiteTools
 - DefaultPreferences
 - WebPreferences

- **Categories**
- Admin Documentation
- Admin Tools
- Developer Doc
- User Documentation
- User Tools

- **Webs**
- Public
- System

•

•



Copyright © by the contributing authors. All material on this site is the property of the contributing authors.

Ideas, requests, problems regarding Wiki? Send feedback