

Table of Contents

VarVAR.....	1
VAR{"NAME" web="Web"} -- get a preference value from another web.....	1

VarVAR

You are here: Wiki >System Web>VarVAR (09 Jan 2009, ProjectContributor)EditAttach

VAR{"NAME" web="Web"} -- get a preference value from another web

- Syntax: %VAR{ "NAME" web="Web" }%
- Example: To get %WEBBGCOLOR% of the Main web write %VAR{ "WEBBGCOLOR" web="Main" }%, which expands to #FFEFA6
- Related: WEBPREFSTOPIC

Edit | Attach | Print version | History: %REVISIONS% | Backlinks | Raw View | More topic actions
Topic revision: r1 - 09 Jan 2009 - 13:00:00 - ProjectContributor

- System
- Log In
- **Toolbox**
 - Users
 - Groups
 - Index
 - Search
 - Changes
 - Notifications
 - RSS Feed
 - Statistics
 - Preferences
- **User Reference**
 - BeginnersStartHere
 - TextFormattingRules
 - Macros
 - FormattedSearch
 - QuerySearch
 - DocumentGraphics
 - SkinBrowser
 - InstalledPlugins
- **Admin Maintenance**
 - Reference Manual
 - AdminToolsCategory
 - InterWikis
 - ManagingWebs
 - SiteTools
 - DefaultPreferences
 - WebPreferences
- **Categories**
 - Admin Documentation

- Admin Tools
- Developer Doc
- User Documentation
- User Tools

- **Webs**
- Public
- System

•
•



Copyright © by the contributing authors. All material on this site is the property of the contributing authors.

Ideas, requests, problems regarding Wiki? Send feedback