

Table of Contents

VarWEBLIST.....	1
WEBLIST{"format"} -- index of all webs.....	1

VarWEBLIST

You are here: Wiki >System Web>VarWEBLIST (09 Jan 2009, ProjectContributor)EditAttach

WEBLIST{"format"} -- index of all webs

- List of all webs. Obfuscated webs are excluded, e.g. webs with a NOSEARCHALL = on preference setting. The "format" defines the format of one web item. The \$name gets expanded to the name of the web, \$qname gets expanded to double quoted name, \$marker to marker where web matches selection.
- Syntax: %WEBLIST{"format" ...}%
- Supported parameters:

Parameter:	Description:	Default:
format="format"	(Alternative to above)	"\$name"
webs="public"	Comma separated list of webs, public expands to all non-hidden. NOTE: Administrators will see all webs, not just the public ones	"public"
selection="%WEB%"	Current value to be selected in list	selection="%WEB%"
"format"	Format of one line, may include \$name (the name of the web), \$qname (the name of the web in double quotes), \$indentedname (the name of the web with parent web names replaced by indents, for use in indented lists), and \$marker (which expands to marker for the item matching selection only)	"\$name"
web=""	if you specify \$web in format, it will be replaced with this	""
separator=", "	Line separator	"\$n" (new line)
subwebs="Sandbox"	show webs that are a sub-web of this one (recursivly)	""
marker="selected"	Text for \$marker if the item matches selection	"selected"










- Example: %WEBLIST{" * [[\$name.WebHome]] "%} - creates a bullet list of all webs.
- Example: <form><select name="web"> %WEBLIST{"<option \$marker value=\$qname>\$name</option>" webs="Trash, public" selection="%WEB%" separator=" "}% </select></form> - creates a dropdown of all public webs + Trash web, with the current web highlighted.
- ⚠ - WEBLIST will not show a web called 'TWiki' even if it exists in the file system unless the TWikiCompatibilityPlugin is installed and activated in configure. This is done to ensure that the TWiki compatibility components such as the TWiki web are only visible and active when needed.
- Related: TOPICLIST, SEARCH

Edit | Attach | Print version | History: %REVISIONS% | Backlinks | Raw View | More topic actions

Topic revision: r1 - 09 Jan 2009 - 13:00:00 - ProjectContributor

- ☐ System
- Log In

- **Toolbox**

-  Users
-  Groups
-  Index
-  Search
-  Changes
-  Notifications
-  RSS Feed
-  Statistics
-  Preferences

- **User Reference**

- BeginnersStartHere
- TextFormattingRules
- Macros
- FormattedSearch
- QuerySearch
- DocumentGraphics
- SkinBrowser
- InstalledPlugins

- **Admin Maintenance**

- Reference Manual
- AdminToolsCategory
- InterWikis
- ManagingWebs
- SiteTools
- DefaultPreferences
- WebPreferences

- **Categories**

- Admin Documentation
- Admin Tools
- Developer Doc
- User Documentation
- User Tools

- **Webs**

- ☐ Public
- ☐ System

-
-



Copyright © by the contributing authors. All material on this site is the property of the contributing authors.

Ideas, requests, problems regarding Wiki? Send feedback