

Table of Contents

1000 Recent Changes in System Web retrieved at 05:52 (Local).....	1
---	---

1000 Recent Changes in System Web retrieved at 05:52 (Local)

WebStatistics

AdminGroup

r592 - 31 Jan 2015 - 19:40

Statistics for nop System Web Month: Topic views: Topic saves: File uploads: Most popular topic views: Top contributors for topic save ...

WebTopicEditTemplate

UrsBeyerle

r2 - 31 Jan 2015 - 15:01

WebChangesAlert

UrsBeyerle

r2 - 04 Sep 2012 - 11:40

Notification Help Each Foswiki web has an automatic e mail notification service that sends you an e mail with links to all of the topics modified since the last alert ...

WebNotify

UrsBeyerle

r3 - 04 Sep 2012 - 11:35

.WikiGuest .WikiGuest example #64;your.company

NatEditHelpText

UrsBeyerle

r3 - 21 Jan 2011 - 13:58

NatEditHelpText Help text for the NatEditPlugin editor S Save W Save and Continue P Preview C Cancel See AccessKeys /\$1/\$2' \$2"}%

WebSearch

UrsBeyerle

r2 - 02 Dec 2010 - 11:51

'}% %SEARCH{ "" type "" scope "" web "" excludetopic "" nosearch "" casesensitive "" nosummary "" nototal "" order "" reverse "" limit "" zeroesresults "" }% ...

SiteSideBar

UrsBeyerle

r7 - 11 Aug 2010 - 15:07

SiteSideBar Default sidebar implementation " warn "off"}% Tools " warn "off"}% General Info Wiki Help Wiki News ...

FilterPlugin

AdminUser

r3 - 07 Jun 2010 - 10:16

nop FilterPlugin Powered by nop WikiRing Consultants Description This plugin allows to substitute and extract information from content by using ...

SiteButtons

UrsBeyerle

r5 - 29 Apr 2010 - 11:49

Main IAC Public IT Atmosdyn C2SM Chemie Climphys Dust Hymet Landclim Wolke Collaboration
Original version: (brocken because of C2SM web but only for no administrators ...

JQueryWikiWord

AdminUser

r4 - 20 Apr 2010 - 11:35

JQueryWikiWord %JQPLUGINS{"wikiword" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% This plugin allows to create a nop WikiWord ...

JQueryUI

AdminUser

r5 - 26 Mar 2010 - 19:11

JQueryUI %JQPLUGINS{"ui" format " Homepage: \$homepage Author(s): \$author Version: \$version " }%
Widget collection for jQuery. This is the official ...

DojoToolkitContrib

AdminUser

r3 - 15 Mar 2010 - 11:30

DojoToolkitContrib Contrib Package Summary of Contents Contains an un archived and ready for use copy
of dojo toolkit 1.2.3 see [http://dojotoolkit.org/ Documentation](http://dojotoolkit.org/Documentation) ...

WebLeftBarSearch

WikiGuest

NEW - 12 Mar 2010 - 23:58

TagMeAjaxHelper

WikiGuest

NEW - 02 Mar 2010 - 10:09

%FORMATLIST{ "" format "\$1\$n" separator " " include ". . " }% %ADDTOZONE{"head" tag
"TAGMEPLUGIN::JQUI:CSS" text " " requires "JQUERYPLUGIN ...

TagMePlugin

WikiGuest

NEW - 02 Mar 2010 - 10:09

Tag me Plugin Plugin to tag wiki content collectively in order to find content by tags and to get a meaningful
page ranking. Introduction The larger a wiki gets, ...

TinyMCEPlugin

WikiGuest

NEW - 26 Feb 2010 - 01:54

TinyMCEPlugin This is an integration of the fast and highly functional WYSIWYG editor. It supports a wide
range of browsers, including Firefox, IE, Safari, Opera ...

TinyMCEQuickHelp

WikiGuest

NEW - 26 Feb 2010 - 01:54

TinyMCE Editor Help Summary #tinyMceInfo td {vertical align:top; padding:0 1em 0 0;} #tinyMceInfo
td.primaryTextcolumn {width:60%;} #tinyMceInfo td.secondaryTextcolumn ...

DBCachPlugin

AdminUser

r3 - 17 Feb 2010 - 14:18

nop DBCachPlugin Powered by nop WikiRing Consultants Description This is a lightweight frontend to the
DBCachContrib. The provided macros DBQUERY ...

EditChapterPlugin

WikiGuest

NEW - 15 Feb 2010 - 15:39

EditChapterPlugin Description Powered by nop WikiRing Consultants This plugin implements a simple section editing feature comparable to the one ...

ZonePlugin

ProjectContributor

r3 - 15 Feb 2010 - 10:11

ZonePlugin The primary purpose of ZonePlugin is to streamline the anatomy of a HTML page in a way to allow today's browsers to process it more efficiently. Page loading ...

VarRENDERZONE

ProjectContributor

NEW - 15 Feb 2010 - 10:10

#VarRENDERZONE RENDERZONE zone: required, name of the zone to be expanded header: optional, prefix format string format: optional, format string for ...

VarADDTOZONE

ProjectContributor

NEW - 15 Feb 2010 - 10:09

#VarADDTOZONE ADDTOZONE %ADDTOZONE{ "zone" ... }% zone: optional, comma separated list of zones the content should be added to, special zones are body ...

ImagePlugin

ProjectContributor

r2 - 12 Feb 2010 - 23:14

nop ImagePlugin Use this plugin to control the display and alignment of images using an easy syntax and support for server side resizing and thumbnailing. There are ...

JQueryCodingStandards

AdminUser

r2 - 12 Feb 2010 - 12:09

JQueryCodingStandards Follow Drupal #8217;s JavaScript coding standards Shorthands Use the jQuery shorthand \$ where possible: \$(function() { ... }); instead of ...

JQueryMetadata

AdminUser

r3 - 12 Feb 2010 - 12:01

JQueryMetadata %JQPLUGINS{"metadata" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% This plugin is capable of extracting metadata ...

JQuerySlimbox

ProjectContributor

r2 - 12 Feb 2010 - 11:49

JQuerySlimbox %JQPLUGINS{"slimbox" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% Slimbox 2 is a 4 KB visual clone of the ...

JQueryTooltip

AdminUser

r3 - 09 Feb 2010 - 01:22

JQueryTooltip %JQPLUGINS{"tooltip" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% Display a customized tooltip instead of ...

JQueryValidate

AdminUser

r3 - 08 Feb 2010 - 22:49

JQueryValidate %JQPLUGINS{"validate" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% Very powerful client side form validation ...

JQueryShrinkUrls

AdminUser

r4 - 08 Feb 2010 - 22:41

JQueryShrinkUrls %JQPLUGINS{"shrinkurls" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% Shrinks all urls in a given container ...

JQueryShake

AdminUser

r3 - 08 Feb 2010 - 22:40

JQueryShake %JQPLUGINS{"shake" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% jQuery plugin to emulate #8220;shake #8221 ...

JQueryRating

AdminUser

r4 - 08 Feb 2010 - 22:36

JQueryRating %JQPLUGINS{"rating" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% The Star Rating Plugin is a plugin for the ...

JQueryFarbtastic

AdminUser

r4 - 08 Feb 2010 - 22:30

JQueryFarbtastic %JQPLUGINS{"farbtastic" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% Farbtastic is a jQuery plug in that ...

JQueryMedia

AdminUser

r3 - 08 Feb 2010 - 19:02

JQueryMedia %JQPLUGINS{"media" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% jQuery Media Plugin for converting elements ...

JQueryMaskedInput

AdminUser

r3 - 08 Feb 2010 - 19:00

JQueryMaskedInput %JQPLUGINS{"maskedinput" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% This is a masked input plugin for ...

JQueryInnerFade

AdminUser

r3 - 08 Feb 2010 - 18:44

JQueryInnerFade %JQPLUGINS{"innerfade" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% InnerFade is a small plugin for the ...

JQueryGrid

AdminUser

r3 - 08 Feb 2010 - 18:42

JQueryGrid %JQPLUGINS{"grid" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% jqGrid is an Ajax enabled JavaScript control that ...

JQueryGradient

AdminUser

r3 - 08 Feb 2010 - 18:42

JQueryGradient %JQPLUGINS{"gradient" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% Adds a gradient to the background of an ...

JQueryFullCalendar

ProjectContributor

r4 - 08 Feb 2010 - 18:21

JQueryFullCalendar %JQPLUGINS{"fullcalendar" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% FullCalendar is a jQuery plugin ...

JQueryFocus

AdminUser

r3 - 08 Feb 2010 - 18:13

JQueryFocus %JQPLUGINS{"focus" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% This plugin sets the focus on a form input field ...

JQueryFluidFont

ProjectContributor

r2 - 08 Feb 2010 - 18:13

JQueryFluidFont %JQPLUGINS{"fluidfont" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% Recompute the font size of an element ...

JQueryCycle

AdminUser

r3 - 08 Feb 2010 - 17:31

JQueryCycle %JQPLUGINS{"cycle" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% The jQuery Cycle Plugin is a lightweight slideshow ...

JQueryCorner

ProjectContributor

r2 - 08 Feb 2010 - 17:30

JQueryCorner %JQPLUGINS{"corner" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% This plugin adds cross browser support for ...

JQueryCookie

AdminUser

r3 - 08 Feb 2010 - 17:30

JQueryCookie %JQPLUGINS{"cookie" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% Easy cookie handling using jQuery. Usage ...

JQueryAutocomplete

AdminUser

r3 - 08 Feb 2010 - 17:29

JQueryAutocomplete %JQPLUGINS{"autocomplete" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% Autocomplete an input field to ...

JQueryDebug

AdminUser

r3 - 08 Feb 2010 - 16:57

JQueryDebug %JQPLUGINS{"debug" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% Simple jQuery logger / debugger using firebug ...

JQueryLiveQuery

ProjectContributor

r3 - 08 Feb 2010 - 16:33

JQueryLiveQuery %JQPLUGINS{"livequery" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% Live Query utilizes the power of jQuery ...

JQueryQueryObject

ProjectContributor

r2 - 08 Feb 2010 - 13:07

JQueryQueryObject %JQPLUGINS{"queryobject" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% This extension creates a singleton ...

NatEditPlugin

AdminUser

r3 - 28 Jan 2010 - 10:51

Natural Edit Plugin Powered by nop WikiRing Consultants Description The nop NatEdit is an wiki editor that helps in learning the TML Language by ...

JQueryPlugin

AdminUser

r9 - 28 Jan 2010 - 10:50

JQueryPlugin Description Powered by nop WikiRing Consultants "jQuery is a fast, concise, nop JavaScript Library that simplifies how you traverse ...

RatingContrib

AdminUser

r2 - 21 Jan 2010 - 11:57

RatingContrib This is a rating widget that can support a "line of stars" style input field. Usage You can use the new rating type in form fields. The result of ...

ExplicitNumberingPlugin

ProjectContributor

NEW - 20 Jan 2010 - 02:37

nop ExplicitNumberingPlugin Use the # nop #. , # nop #.. etc. notation to insert outline numbering sequences (1, 1.1, 2, 2.1) in topic's text. Use # nop ...

TWikiCompatibilityPlugin

WikiGuest

NEW - 17 Jan 2010 - 15:16

TWikiCompatibilityPlugin Usage Automatically maps requests for legacy TWiki web topics to Foswiki free topics as per TopicNameMappingTable. Map TWIKIWEB to SYSTEMWEB ...

TopicUserMappingContrib

WikiGuest

NEW - 17 Jan 2010 - 15:16

TopicUserMappingContrib The User Mapping Manager interface provides services for mapping between a 'user identity' as used when talking to an external authentication ...

SmiliesPlugin

WikiGuest

NEW - 17 Jan 2010 - 15:15

The Smilies Plugin nop :) Smilies are common in e mail messages and bulletin board posts. They are used to convey an emotion, such as a smile : nop) or a frown ...

DefaultPreferencesForm

WikiGuest

NEW - 17 Jan 2010 - 15:15

Name Type Size Value Tooltip message Attributes WEBBGCOLOR text 20 #FFD8AA HTML Color S
FAVICON text 30 /System/WebPreferences/favicon ...

PreferencesPlugin

WikiGuest

NEW - 17 Jan 2010 - 15:15

nop PreferencesPlugin Allows editing of preferences using fields predefined in a .DataForms. However, the edit fields are inlined in the text, similar to how tables ...

JSCalendarContribInline

WikiGuest

NEW - 17 Jan 2010 - 15:15

Inline include of JSCalendarContrib HTML for use in forms. @import url('/JSCalendarContrib/calendar
blue.css');.calendar {z index:2000;}

JSCalendarContrib

WikiGuest

NEW - 17 Jan 2010 - 15:15

JSCalendarContrib Summary of Contents This module packages the Mishoo JSCalendar Javascript in a form
suitable for use with Foswiki. Detailed Documentation Read ...

MailerContrib

WikiGuest

NEW - 17 Jan 2010 - 15:15

Mailer Contrib Allows users to "subscribe" to regularly scheduled e mails containing either: A report on
changes to all topics that have changed within a particular ...

EmptyPlugin

WikiGuest

NEW - 17 Jan 2010 - 15:15

Empty Plugin This Plugin does nothing. This is an empty Plugin topic you can use as a template for your own
Plugin documentation topic. Learn how to create your own ...

MySideBar

ProjectContributor

r3 - 14 Jan 2010 - 15:47

Create a personalized sidebar navigation %IF{"\$'MYSIDEBAR' 'off'" then " The sidebar feature is switched
off. Set the MYSIDEBAR preferene ...

SendEmailPlugin

ProjectContributor

r2 - 08 Jan 2010 - 23:54

Send Email Plugin Allows to send e mails through an e mail form. Usage 1 Create a form on the page that
invokes the sendemail script 1 Add a "to" field and ...

SendEmailPluginTemplate

ProjectContributor

NEW - 08 Jan 2010 - 17:54

From: To: CC: Subject:

SiteTopicActions

UrsBeyerle
r3 - 18 Dec 2009 - 09:09

SiteTopicActions Default site level configuration for the WebTopicActions WebComponent
%USERACTIONS{ restrictedactions "new, attach, move, delete, history, diff ...

JQueryMasonry
ProjectContributor
r2 - 11 Dec 2009 - 21:00

JQueryMasonry %JQPLUGINS{"masonry" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% Masonry is a layout plugin for jQuery. Think ...

FlexWebListPlugin
AdminUser
r2 - 02 Dec 2009 - 12:29

nop FlexWebListPlugin Description This is a replacement for Foswiki's standard WEBLIST variable. It is extended to improve the display of hierarchical web structures ...

JQuerySimpleModal
AdminUser
r3 - 30 Nov 2009 - 13:33

JQuerySimpleModal %JQPLUGINS{"simplemodal" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% SimpleModal is a lightweight jQuery ...

JQuerySerialScroll
ProjectContributor
NEW - 20 Nov 2009 - 15:23

JQuerySerialScroll %JQPLUGINS{"serialscroll" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% This plugin allows you to easily ...

JQueryLocalScroll
ProjectContributor
NEW - 20 Nov 2009 - 15:11

JQueryLocalScroll %JQPLUGINS{"localscroll" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% This plugin will animate a regular ...

JQueryScrollTo
ProjectContributor
NEW - 20 Nov 2009 - 15:10

JQueryScrollTo %JQPLUGINS{"scrollto" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% With this plugin, you will easily scroll ...

VarVOTE
WikiGuest
NEW - 17 Nov 2009 - 18:48

#VarVOTE VOTE{ attributes } define a poll in a topic. See VotePlugin for more information

JQueryBgiframe
AdminUser
r2 - 16 Nov 2009 - 16:34

JQueryBgiframe %JQPLUGINS{"bgiframe" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% A jQuery plugin that helps ease the pain ...

JQueryBlockUI
AdminUser

r2 - 16 Nov 2009 - 16:33

JQueryBlockUI %JQPLUGINS{"blockui" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% The jQuery BlockUI Plugin lets you simulate ...

JQueryChili

AdminUser

r3 - 16 Nov 2009 - 16:33

JQueryChili %JQPLUGINS{"chili" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% Chili is the jQuery code highlighter plugin ...

JQueryEasing

AdminUser

r2 - 16 Nov 2009 - 16:27

JQueryEasing %JQPLUGINS{"easing" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% Uses the built in easing capabilities added ...

JQueryForm

AdminUser

r2 - 16 Nov 2009 - 16:21

JQueryForm %JQPLUGINS{"form" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% The jQuery Form Plugin allows you to easily and ...

JQueryFoswiki

AdminUser

r2 - 16 Nov 2009 - 16:20

JQueryFoswiki %JQPLUGINS{"foswiki" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% This is plugin takes care of loading the ...

JQueryHoverIntent

AdminUser

r2 - 16 Nov 2009 - 16:07

JQueryHoverIntent %JQPLUGINS{"hoverintent" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% hoverIntent is similar to jQuery ...

JQueryTextboxList

AdminUser

r2 - 16 Nov 2009 - 15:59

JQueryTextboxList %JQPLUGINS{"textboxlist" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% Turns a text input into a Facebook ...

JQuerySupersubs

AdminUser

r2 - 16 Nov 2009 - 15:57

JQuerySupersubs %JQPLUGINS{"supersubs" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% This is a companion plugin to superfish ...

JQuerySuperfish

AdminUser

r2 - 16 Nov 2009 - 15:42

JQuerySuperfish %JQPLUGINS{"superfish" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% Superfish is an enhanced Suckerfish ...

JQueryTabpane

AdminUser

r2 - 16 Nov 2009 - 14:45

JQueryTabpane %JQPLUGINS{"tabpane" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% This implements an alternative tabpane widget ...

JQueryTreeview

AdminUser

r2 - 16 Nov 2009 - 14:43

JQueryTreeview %JQPLUGINS{"treeview" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% Lightweight and flexible transformation ...

JQueryToggle

AdminUser

r2 - 16 Nov 2009 - 14:40

JQueryToggle %JQPLUGINS{"empty" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% This is a lightweigted widget to add a toggle ...

JQueryButton

AdminUser

r2 - 16 Nov 2009 - 14:34

JQueryButton %JQPLUGINS{"button" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% This is a simple way to render nice buttons ...

JQueryEmpty

AdminUser

r2 - 16 Nov 2009 - 12:54

JQueryEmpty %JQPLUGINS{"empty" format " Homepage: \$homepage Author(s): \$author Version: \$version " }% Template plugin for jQuery plugins integrated ...

AjaxWebSelector

ProjectContributor

r5 - 06 Nov 2009 - 01:04

AjaxWebSelector Webs %FLEXWEBLIST{ subwebs "none" header " {" format "\$n\$indent id:'\$web',\$n\$indent name:'\$name',\$n\$indent parent:'\$parent',\$n\$indent ...

JQueryAjaxHelper

AdminUser

r7 - 05 Nov 2009 - 11:32

JQueryAjaxHelper This is a set of simple helper applications that can be used in ajax wiki applications, i.e. to fetch properties of dynamically populate jquery.autocomplete ...

NatSkinWebTopicListViewTemplate

ProjectContributor

r4 - 03 Nov 2009 - 17:20

NatSkinWebTopicListViewTemplate %MAKEINDEX{ "%TOPICLIST{ "(\$percentGETTOPICTITLE{"\$name"}\$percent);\$percentGETTOPICTITLE{"\$name"}\$percent;\$name" separator ...

LdapContrib

ProjectContributor

r2 - 19 Oct 2009 - 19:50

LdapContrib Introduction Powered by nop WikiRing Consultants This package offers basic LDAP services for Foswiki and offers authentication of wiki ...

SiteLinks

UrsBeyerle
r3 - 16 Oct 2009 - 00:33

SiteLinks Standard links in sidebar navigation. " warn "off"}%

LatexSymbols2

WikiGuest
NEW - 19 Sep 2009 - 00:10

Latex Symbols (2 of 5) Relationship Symbols Symbols Latex Command Symbols Latex Command $\leq$ $\equiv$...

LatexSymbols3

WikiGuest
NEW - 19 Sep 2009 - 00:10

Latex Symbols (3 of 5) Arrows Symbols Latex Command Symbols Latex Command $\leftarrow$ $\Leftarrow$...

LatexIntro

WikiGuest
NEW - 19 Sep 2009 - 00:10

```
\usepackage{amsfonts} \definecolor{Lightmaroon}{rgb}{0.6667,0,0}
\definecolor{Cornflowerblue}{rgb}{0,0.4,0.8} Introduction to \Large\LaTeX \LaTeX is a complete ...
```

LatexModePlugin

WikiGuest
NEW - 19 Sep 2009 - 00:10

nop LatexModePlugin This nop LaTeX Mode Plugin allows you to include nop LaTeX mark up commands within a Foswiki page. It uses external programs (specifically latex ...

LatexSymbols5

WikiGuest
NEW - 19 Sep 2009 - 00:10

Latex Symbols (5 of 5) Delimiters Symbols Latex Command Symbols Latex Command $\lfloor$ $\rfloor$ $\lceil$ $\rceil$...

LatexSymbols4

WikiGuest
NEW - 19 Sep 2009 - 00:10

Latex Symbols (4 of 5) Symbols Latex Command Symbols Latex Command Symbols for Sets and Analytic Equations Symbols Latex Command Symbols ...

LatexSymbols

WikiGuest
NEW - 19 Sep 2009 - 00:10

Latex Symbols (1 of 5) Greek letters lower case Symbol Latex Command Symbol Latex Command Symbol Latex Command ...

WysiwygPluginTopicLister

AdminUser
r2 - 17 Sep 2009 - 20:38

"}%

WysiwygPlugin

AdminUser
r2 - 17 Sep 2009 - 20:38

Wysiwyg Plugin Support for the integration of WYSIWYG (What You See Is What You Get) editors. On its own, the only thing this plugin gives you is a stand alone HTML ...

WysiwygPluginSettings

AdminUser

r2 - 17 Sep 2009 - 20:38

Settings for WysiwygPlugin that are common to most editor integrations WYSIWYG EXCLUDE Prevent WYSIWYG editing This is not supported currently by the TinyMCE ...

UserRegistration

UrsBeyerle

r2 - 17 Sep 2009 - 19:00

Registration is not possible. You need a valid account to login.

RenderPlugin

AdminUser

r3 - 16 Sep 2009 - 22:13

RenderPlugin Description Powered by nop WikiRing Consultants This plugin implements three simple REST handlers to get content from Foswiki. For ...

UploadPlugin

AdminUser

r4 - 16 Sep 2009 - 22:12

UploadPlugin This plugin provides a more flexible interface to upload one or more files to a topic. Using standard means, only one file can be uploaded at the same ...

SetVariablePlugin

AdminUser

r4 - 16 Sep 2009 - 22:12

nop SetVariablePlugin The main purpose of this plugin is to allow to set topic variables when saving a topic. Url parameters posted to save will be parsed and stored ...

IfDefinedPlugin

AdminUser

r2 - 16 Sep 2009 - 22:12

nop IfDefinedPlugin Description Powered by nop WikiRing Consultants This plugin adds a couple of tags that allow to render content conditionally ...

GluePlugin

AdminUser

r3 - 16 Sep 2009 - 22:12

nop GluePlugin Description Powered by nop WikiRing Consultants This plugin will help you to write readable markup (nop TopicMarkup, HMTL,

BreadCrumbsPlugin

AdminUser

r2 - 16 Sep 2009 - 22:12

nop BreadCrumbsPlugin Description This plugin helps you to locate where you are, and shows you how you can escape from there using breadcrumbs navigation. Two types ...

FamFamFamFlagIcons

AdminUser

r3 - 16 Sep 2009 - 22:12

FamFamFamFlagIcons 'Flags' are 247 icons in GIF and PNG formats representing most countries in the world as small pixel icons. These flag icons are available ...

FamFamFamSilkCompanion1Icons

AdminUser

r3 - 16 Sep 2009 - 22:12

FamFamFamSilkCompanion1Icons Mark James created a great set of 1,022 silky smooth 16x16 true colour icons in PNG format, aptly named Silk Icons. Damien Guard's set ...

FamFamFamSilkIcons

AdminUser

r3 - 16 Sep 2009 - 22:12

FamFamFamSilkIcons Silk is a smooth, free icon set, containing over 700 16 by 16 pixel icons in strokably soft PNG format. Containing a large variety of icons, you ...

FamFamFamMiniIcons

AdminUser

r3 - 16 Sep 2009 - 22:12

FamFamFamMiniIcons "Mini" is a set of 144 GIF icons available for free use for any purpose. The flag icon filenames follow the ISO 3166 1 alpha 2 country codes. ...

FamFamFamMintIcons

AdminUser

r3 - 16 Sep 2009 - 22:11

FamFamFamMintIcons "Mint" icons are a small set of tiny PNG web icons, loosely based on Shaun Inman's Mint statistics software. Released on the same day as the product ...

FamFamFamContrib

AdminUser

r3 - 16 Sep 2009 - 22:05

FamFamFamContrib Usage The icons are attached to the FamFamFamFlagIcons FamFamFamMiniIcons FamFamFamMintIcons FamFamFamSilkIcons FamFamFamSilkCompanion1Icons ...

FamFamFamGraphics

AdminUser

r3 - 16 Sep 2009 - 21:55

Documentation Graphics and Filetype icons This is a Foswiki icon library. The graphics can be used in topics and by web applications. Usage Default notation: % nop ...

ProjectContributor

ProjectContributor

NEW - 13 Sep 2009 - 07:33

Project Contributor Note: Please contact us at <http://foswiki.org> if you contributed to Foswiki and your name is not on this list! Disclaimer: Foswiki gets installed ...

JavascriptFiles

ProjectContributor

NEW - 13 Sep 2009 - 03:41

Javascripts This topic contains javascript files that are included by skin templates, and may be used by skin templates and in topics. Related Topics: SkinTemplates ...

UserDocumentationCategory

ProjectContributor

NEW - 13 Sep 2009 - 03:39

A List of User Documentation

WebTopicCreator

ProjectContributor

NEW - 13 Sep 2009 - 03:30

Wiki admins Please replace all web's WebTopicCreator topic contents with this text: All WebTopicCreator topics on this site: /\$web/\$topic?t Edit \$web.\$topic "} ...

AdminToolsCategory

ProjectContributor

NEW - 13 Sep 2009 - 03:26

Admin tools Manage your whole site from one screen. Documentation: Reference Manual Site Tools : Configure, , InterWikis, Macros, Doc Graphics, Installed ...

DeveloperDocumentationCategory

ProjectContributor

NEW - 13 Sep 2009 - 03:24

Developer Documentation \$n \$summary(100, noheader)" }% More in depth developer documentation can be found in the supplemental documentation. Really detailed ...

ReleaseHistory

ProjectContributor

NEW - 12 Sep 2009 - 04:11

Appendix A: Foswiki Development Time line Foswiki Release 1.0.9 17 Jan 2010 Foswiki 1.0.9 was built 17 Jan 2010. It is a patch release with more than 320 bug fixes ...

WikiWikiClones

ProjectContributor

NEW - 12 Sep 2009 - 04:11

Foswiki is a Wiki Wiki clone and has its root in JOS Wiki via TWiki . Foswiki's home is at <http://foswiki.org/> Foswiki takes a lot of ideas from Ward Cunningham ...

WikiNotation

ProjectContributor

NEW - 12 Sep 2009 - 04:10

Wiki links topics automatically when you use WikiWord notation.

WebTopicList

ProjectContributor

NEW - 12 Sep 2009 - 04:10

PerlDoc

ProjectContributor

NEW - 12 Sep 2009 - 04:10

" level "1"}%

StandardColors

ProjectContributor

NEW - 12 Sep 2009 - 04:10

The 216 Standard Colors This table can be used to choose a color in of each web. #000000 #000033 #000066 #000099 #0000CC #0000FF #003300 #003333 #003366 ...

AccessControl

ProjectContributor

NEW - 12 Sep 2009 - 04:10

Access Control Restricting read and write access to topics and webs, by users and groups Access Control allows you restrict access to single topics and entire webs ...

AppendixEncodeURLsWithUTF8

ProjectContributor

NEW - 12 Sep 2009 - 04:09

#EncodeURLsUTF8 Appendix B: Encode URLs With UTF8 Use internationalised characters within WikiWords and attachment names Current Status To simplify use of internationalised ...

ProjectLogos

ProjectContributor

NEW - 12 Sep 2009 - 04:09

Logos The official Foswiki logo is attached to this page. Logo Artwork Logo Customization The logo can be changed by redefining the WIKILOGOIMG preference setting ...

LanguageSelector

ProjectContributor

NEW - 12 Sep 2009 - 04:09

Language selection dropdown To be included where a language selection is needed, for instance in the top bar or left bar. Note: this dropdown is only shown if localization ...

SiteMap

ProjectContributor

NEW - 12 Sep 2009 - 04:08

nop Wiki Site Map %ADDDTOHEAD{ #sitemap .foswikiFormSteps {background:#fff;} #sitemap .foswikiFormStep {padding:0;} #sitemap .foswikiFormSteps ul {list style:none ...

WebAtomBase

ProjectContributor

NEW - 12 Sep 2009 - 04:08

ATOM News Feeds Find out What's New There are several ways to find out what's new in each web: 1. Visit WebChanges to see recent changes 1. Subscribed in WebNotify ...

TimeSpecifications

ProjectContributor

NEW - 12 Sep 2009 - 04:08

Time Specifications Foswiki recognises the following formats for date/time strings. For all strings the time is optional. 31 Dec 2001 23:59 2001/12/31 ...

TextEditor

ProjectContributor

NEW - 12 Sep 2009 - 04:08

Text Editor A text editor, or text processor, handles plain text only, different from a word processor because it doesn't do display formatting like bold type, or ...

StartingPoints

ProjectContributor

NEW - 12 Sep 2009 - 04:08

Welcome to nop Wiki . This page assumes that you are a new user to nop Wiki , and that you've never heard of Wiki before. Here are the most important pages you should ...

RenameWeb

ProjectContributor

NEW - 12 Sep 2009 - 04:07

, .ManagingWebs
BeginnersStartHere

ProjectContributor

NEW - 12 Sep 2009 - 04:07

This is a short introductory training course for Foswiki beginners. A Taste of Foswiki The basic function of Foswiki is a Wiki (if that helps!) A Wiki is like a web ...

MetaData

ProjectContributor

NEW - 12 Sep 2009 - 04:07

#MetaData Meta data Additional topic data, program generated or from DataForms, is stored embedded in the topic text using META: tags Overview By default, topics ...

EditingShorthand

ProjectContributor

NEW - 12 Sep 2009 - 04:07

Editing Shorthand Formatting Command: You write: You get: Paragraphs: Blank lines will create new paragraphs. 1st paragraph 2nd paragraph 1st paragraph 2nd ...

ExampleTopicTemplate

ProjectContributor

NEW - 12 Sep 2009 - 04:07

(just an example illustrating how to create a new topic based on a specific template topic. TemplateTopics has more)

FileAttachment

ProjectContributor

NEW - 12 Sep 2009 - 04:06

File Attachments Each topic can have one or more files of any type attached to it by using the Attach screen to upload (or download) files from your local PC. Attachments ...

ForceNewRevision

ProjectContributor

NEW - 12 Sep 2009 - 04:06

Normally, if you make subsequent edits within a one hour period (configuration item ReplaceIfEditedAgainWithin), nop Wiki will fold together your changes. This ...

IncludeTopicsAndWebPages

ProjectContributor

NEW - 12 Sep 2009 - 04:06

Include Topics and Web Pages Using % nop INCLUDE{...}% Macro Use the % nop INCLUDE{...}% macro to embed the content of another topic or web page inside a topic ...

GoBox

ProjectContributor

NEW - 12 Sep 2009 - 04:06

Go Box The box at the top or sidebar of each page, also called Jump box. Enter a topic name to quickly jump to the topic, for example: WebNotify to jump to ...

TopicDoesNotExistViewTemplate

ProjectContributor

NEW - 12 Sep 2009 - 04:06

PreviewBackground

ProjectContributor

NEW - 12 Sep 2009 - 04:06

Background Image for Preview Preview looks like the real page, but the links lead to an oops dialog warning users of not yet saved topics. In addition, a background ...

UsingHTML

ProjectContributor

NEW - 12 Sep 2009 - 04:05

Using HTML You can use most HTML tags in topics without a problem. This is useful where you want to add some content that is formatted in a way that is not supported ...

DontNotify

ProjectContributor

NEW - 12 Sep 2009 - 04:05

Use the "Minor changes, don't notify" checkbox in preview in case you only make a minor change to a topic and you do not want to inform everybody who is on the WebNotify ...

SiteChanges

ProjectContributor

NEW - 12 Sep 2009 - 04:05

Recently Changed Topics in Webs `#changesForm .foswikiFormStep {padding:.5em 0; border width:0;} #changesForm .foswikiFormSteps {background color:#fff; border width ...`

RegularExpression

ProjectContributor

NEW - 12 Sep 2009 - 04:05

Regular Expressions Introduction Regular expressions (REs), unlike simple queries, allow you to search for text which matches a particular pattern. REs are similar ...

MoveTopic

ProjectContributor

NEW - 12 Sep 2009 - 04:05

ManagingTopics can be used to move a topic from one Web to another. One specialised use of this is DeleteWeb. Related Topics: UserDocumentationCategory

ShortHand

ProjectContributor

NEW - 12 Sep 2009 - 04:04

Shorthand

QuietSave

ProjectContributor

NEW - 12 Sep 2009 - 04:04

Like Save but does not e mail people on the WebNotify notification list same effect as checking "Minor changes, don't notify". Related Topics: UserDocumentationCategory ...

BumpyWord

ProjectContributor

NEW - 12 Sep 2009 - 04:04

See WikiWord

TemplateTopics

ProjectContributor

NEW - 12 Sep 2009 - 04:04

#TemplateTopics Template topics Template topics are topics that define the default text for new topics.
Overview There are four types of template topics: Topic ...

UserAuthentication

ProjectContributor

NEW - 12 Sep 2009 - 04:03

User Authentication Controlling who can access your site Overview Authentication, or "login", is the process by which a user lets Wiki know who they are. Authentication ...

WikiWord

ProjectContributor

NEW - 12 Sep 2009 - 04:01

What is a WikiWord? A WikiWord consists of two or more words with initial capitals, run together.
WikiWords are topic names. A Foswiki topic name always has a fixed ...

BookView

ProjectContributor

NEW - 12 Sep 2009 - 03:59

BookView is an option available for the SEARCH macro. It allows you to display the result in "book view", that is, the whole content of topics is shown instead of ...

FormatTokens

ProjectContributor

NEW - 12 Sep 2009 - 03:59

Formatting Tokens Foswiki defines some standard special tokens that can be used to replace characters in some parameters notably those to FormattedSearch and IfStatements ...

WebTemplateTopics

ProjectContributor

NEW - 12 Sep 2009 - 03:56

"}% "% " excludetopic "WebTopicEditTemplate, WebCreateNewTopicTemplate, ViewTemplate" type
"query" nosearch "on" nonoise "on" format " \$topic" }%

DataForms

ProjectContributor

NEW - 12 Sep 2009 - 03:51

Data Forms Data forms allow you to add structured data to topics. The data stored in the form fields can be used to search and filter topics. The combination of structured ...

SitePermissions

ProjectContributor

NEW - 12 Sep 2009 - 03:51

Permissions settings of the webs on this Foswiki site Web Sitemap VIEW CHANGE RENAME Listed DENY
ALLOW DENY ALLOW ...

WebsTable

ProjectContributor

NEW - 12 Sep 2009 - 03:51

(included from .SiteMap; change . to include from nop SiteMap instead of nop WebsTable)

EnhancementRequests

ProjectContributor

NEW - 12 Sep 2009 - 03:45

Please bring your enhancement requests to Foswiki:Development.FeatureProposals Related Topics:
ReleaseHistory has a list of added features in Foswiki. ...

ManagingWebs

ProjectContributor

NEW - 12 Sep 2009 - 03:45

Managing Webs %ADDDTOHEAD{" #createWeb .foswikiFormStep {padding:15px 40px;} #createWeb .col1 {float:left; width:30%; margin:0 3% 0 0;} #createWeb .col2 {float:left ...

PreferenceSettings

ProjectContributor

NEW - 12 Sep 2009 - 03:45

Help on Preferences A preference setting lets you define a simple macro that can be expanded in your output. A preference setting looks like this: ...

InstantEnhancements

ProjectContributor

NEW - 12 Sep 2009 - 03:27

Instant Site Enhancements These quick enhancements are aimed at improving and customising your Foswiki. New site administrators are especially encouraged to review ...

MacrosQuickStart

ProjectContributor

NEW - 12 Sep 2009 - 03:27

Macros Quickstart Macros are names enclosed in percent signs that are that are expanded to some other text when the topic is displayed. For example, % nop TOPIC% ...

IfStatements

ProjectContributor

NEW - 12 Sep 2009 - 03:27

IF Statements The % nop IF% construct gives Foswiki the power to include content in topics based on the value of simple expressions. Syntax % nop IF{"CONDITION ...

SystemRequirements

ProjectContributor

NEW - 12 Sep 2009 - 03:26

System Requirements Server and client requirements Low client and server base requirements are core features that keep Foswiki widely deployable, particularly across ...

WebRss

ProjectContributor

NEW - 12 Sep 2009 - 03:25

" else " nop Wiki 's nop System web"}% /System The Documentation Web of Foswiki. Foswiki is the Free and Open Source Wiki.

ObjectMethod

ProjectContributor

NEW - 12 Sep 2009 - 03:24

An ObjectMethod is a method that must be called relative to a previous constructed object of the class type. For example: package Telecoms ClassMethod new() ObjectMethod ...

DefaultPreferences

ProjectContributor

NEW - 12 Sep 2009 - 03:23

nop Wiki Site Level Preferences This topic defines site level settings that apply to all users and webs on this site. Note: This topic should be regarded as ...

WabiSabi

ProjectContributor

NEW - 12 Sep 2009 - 03:23

Since wabi sabi represents a comprehensive Japanese world view or aesthetic system, it is difficult to explain precisely in western terms. According to Leonard Koren ...

CascadingStyleSheets

ProjectContributor

NEW - 12 Sep 2009 - 03:22

Appendix C: CSS Listing of CSS class names emitted from Foswiki core code and standard extensions. Who should read this document? Skin builders and others who want ...

CommandAndCGIScripts

ProjectContributor

NEW - 12 Sep 2009 - 03:21

CGI and Command Line Scripts Programs on the server performing actions such as rendering, saving and renaming topics. These scripts are located in the bin and ...

UpgradeGuide

ProjectContributor

NEW - 12 Sep 2009 - 03:21

Foswiki Upgrade Guide This guide covers upgrading from a previous version of Foswiki or TWiki (such as Cairo or TWiki4.0) to Foswiki 1.0 Overview Foswiki is a fork ...

ReleaseNotes01x00

ProjectContributor

NEW - 12 Sep 2009 - 03:21

Foswiki Release 1.0.9 17 Jan 2010 Foswiki The Free and Open Source Wiki Foswiki is an enterprise collaboration and information sharing tool targeted for professional ...

YouAreHere

ProjectContributor

NEW - 12 Sep 2009 - 03:20

You are currently in the nop web. The color code for this web is this background, so you know where you are. If you are not familiar with the nop Wiki collaboration ...

InstalledPlugins

ProjectContributor

NEW - 12 Sep 2009 - 03:19

This site is running Foswiki version , Plugin API version Here is a list of the plugins currently installed and enabled on this Foswiki site: Administrators can ...

InstallationGuide

ProjectContributor

NEW - 12 Sep 2009 - 03:19

Installation Guide This guide describes the steps for manually installing Foswiki, with specific steps for installations on Linux with the Apache web server. If ...

WebCreateNewTopicTemplate

ProjectContributor

NEW - 12 Sep 2009 - 03:17

%{ do not show the following elements }% #NewTopic \$quot
}\$percent\$quot}\$percent\$percentMAKETEXT{\$quot(no parent, orphaned topic)\$quot}\$percent" else " "}% "
then ...

WebRssBase

ProjectContributor

NEW - 12 Sep 2009 - 03:16

RSS News Feeds Find out What's New There are several ways to find out what's new in each web: 1. Visit WebChanges to see recent changes 1. Subscribed in WebNotify ...

WebPreferencesHelp

ProjectContributor

NEW - 12 Sep 2009 - 03:15

Tools Related Topics . , site level preferences list of user topics. User topics can have optional user preferences Macros what macros ...

DevelopingPlugins

ProjectContributor

NEW - 10 Sep 2009 - 14:41

Developing Plugins The usual way Foswiki is extended is by writing a Plugin . Plugins extend Foswiki by providing functions that 'listen' to events in the Foswiki ...

WebCreateNewWeb

ProjectContributor

r5 - 02 Sep 2009 - 11:04

: The name must start with an upper case letter, followed by upper or lower case letters or numbers. Specify a short name to avoid long URLs. ...

NatSkinWebCreateNewTopicTemplate

ProjectContributor

r8 - 26 Aug 2009 - 22:24

%TWISTY{ showlink "" hidelink "" showimgleft "" hideimgleft "" mode "div" }% %{ do not show the following elements }% %INCLUDE{ ".JQueryAjaxHelper" ...

WebTopicListViewTemplate

ProjectContributor

NEW - 17 Aug 2009 - 10:43

NatSkinPlugin

AdminUser

r2 - 10 Jul 2009 - 13:42

The Natural Skin Plugin Description Powered by nop WikiRing Consultants This is the supplemental plugin for the NatSkin. Its main purpose is to ...

SiteBottomBar

ProjectContributor

NEW - 10 Jul 2009 - 13:37

SiteBottomBar Default bottombar component RSS ATOM

FlexWebListNavi

AdminUser

r2 - 03 Jul 2009 - 15:01

FlexWebListNavi The fragment below can be used in a sidebar navigation to establish a "twisted" subweb

navigation. Use it by adding % nop INCLUDE{"System.FlexWebListNavi ...

FlexWebListTree

AdminUser

r2 - 03 Jul 2009 - 15:00

FlexWebListTree The fragment below can be used in a sidebar navigation to establish a folder like subweb navigation. This uses the jqTreeview widget of the Foswiki ...

JazzyNoteTheme

ProjectContributor

NEW - 02 Jul 2009 - 19:08

JazzyNoteTheme Foswiki theme for NatSkin. Screenshots

DBCachContrib

ProjectContributor

r2 - 02 Jul 2009 - 10:12

DBCachContrib Reusable code that caches Foswiki topics, and provides fast searches of the content.

Summary of Contents This module supports fast structured queries ...

FlexWebListExamples

AdminUser

r2 - 29 May 2009 - 11:24

FlexWebListExamples These are some simple examples to show how to use the basic features of the FlexWebListPlugin. Please create some subwebs in the Sandbox web for ...

FugueIconsContrib

WikiGuest

NEW - 21 Apr 2009 - 14:21

FugueIconsContrib Usage This contrib contains a rather wonderful work of 1,755 icons made by Yusuke Kaniyama. It can be found at <http://www.pinvoke.com/>. It contains ...

JQueryLibPlugin

AdminUser

r7 - 01 Mar 2009 - 18:06

JQueryLibPlugin Description Provides jQuery libraries to Foswiki. Also includes jQuery UI libraries, themes and some jQuery plugins. Macros % nop JQSCRIPT{"plugins ...

PatternSkinEasyColorSettings

AdminUser

r3 - 26 Feb 2009 - 21:52

Color scheme settings for .PatternSkin Settings Let .PatternSkin point to the custom made colors style sheet.

Copy this line in .SitePreferences : Set #USERCOLORSURL ...

GenPDFAddOn

ProjectContributor

r5 - 25 Feb 2009 - 00:57

Generate PDF Add On Usage The simplest way to activate PDF printing, is to add genpdf to front of the SKIN setting. This will replace the PatternSkin ...

PatternSkinColorEditForm

AdminUser

r2 - 21 Feb 2009 - 19:52

Name Type Size Value Tooltip message Attributes MAIN TEXT color S MAIN TEXT BACKGROUND color S LIGHT ON DARK TEXT ...

HeadlinesPlugin

ProjectContributor

NEW - 13 Feb 2009 - 04:55

Headlines Plugin Description This plugin displays RSS and ATOM feeds from news sites. Use it to build news portals that show headline news. Note: Syndic8.com ...

NatSkin

ProjectContributor

r2 - 11 Feb 2009 - 13:30

The Natural Skin Description Powered by nop WikiRing Consultants NatSkin offers a decent appearance that increases usability and customizability ...

GenPDFAddOnDemo

ProjectContributor

r2 - 08 Feb 2009 - 05:38

! PDFSTART inserted here to avoid a blank page for the Foswiki TOC GenPDFAddOnDemo This is a sample document to show what can be achieved with the GenPDFAddOn ...

PatternSkinElements

AdminUser

r2 - 24 Jan 2009 - 22:54

NOTE: Edit and Attach will be disabled today between 05:00 PM and 06:00 PM PDT (00:00 to 01:00 GMT) for a scheduled Foswiki maintenance. This is a notification. Normal ...

NatSearch

ProjectContributor

r2 - 15 Jan 2009 - 17:19

NatSearch Search facility for the NatSkin. Description nop NatSearch unifies the Jump Search boxes known from the standard distribution. It uses one input field ...

VarBR

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarBR BR line break Current value: BR Related: BULLET, BB, BB2, BB3, BB4, CARET, VBAR

VarAUTHREALM

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarAUTHREALM AUTHREALM authentication realm String defined as {AuthRealm} in configure. This is used in certain password encodings, and in login templates ...

ShortcutMacros

ProjectContributor

NEW - 09 Jan 2009 - 13:00

Shortcuts Easy ways to save some typing Some macros are just shortcuts for longer sequences of characters, to either save typing or to easily allow line breaks in ...

Skins

ProjectContributor

NEW - 09 Jan 2009 - 13:00

Foswiki Skins Skins overlay regular templates to give different looks and feels to Foswiki screens. Overview Foswiki uses skin templates as the basis of all ...

VarSCRIPTURLPATH

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarSCRIPTURLPATH SCRIPTURLPATH{"script"} URL path of script As % nop
SCRIPTURL{"script"}% , but doesn't include the protocol and host part of the URL ...

VarBB4

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarBB4 BB4 level 4 bullet with line break Line break and bullet, level 4. Current value: BB4 Related: BR,
BULLET, BB, BB2, BB3, VBAR

VarTOPIC

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarTOPIC TOPIC name of current topic % nop TOPIC% expands to the name of the topic. If you are
looking at the text of an included topic, it is the name ...

VarINCLUDINGTOPIC

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarINCLUDINGTOPIC INCLUDINGTOPIC name of topic that includes current topic The name of the
topic that includes the current topic same as % nop TOPIC% ...

VarSILVER

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarSILVER SILVER start silver colored text SILVER is one of the shortcut macros predefined in
DefaultPreferences. See the section shortcut macros in that ...

VarSESSIONVAR

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarSESSIONVAR SESSIONVAR name of CGI and session variable that stores the session ID Syntax: %
nop SESSIONVAR% Expand to: Related: UserAuthentication ...

VarACTIVATEDPLUGINS

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarACTIVATEDPLUGINS ACTIVATEDPLUGINS list of currently activated plugins Syntax: % nop
ACTIVATEDPLUGINS% Expands to: Related: PLUGINDESCRIPTIONS ...

VarINCLUDE

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarINCLUDE INCLUDE{"page"} include other topic or web page Syntax: % nop INCLUDE{"page" ...}%
Supported parameters: Parameter: Description ...

VarSCRIPTSUFFIX

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarSCRIPTSUFFIX SCRIPTSUFFIX script suffix Some nop Wiki installations require a file extension for
CGI scripts, such as .pl or .cgi Syntax: ...

HiddenAttachment

ProjectContributor
NEW - 09 Jan 2009 - 13:00

Hide/Unhide Attachments You can hide/unhide file attachments in normal topic view. In the FileAttachment table, click on an action link, enable the Hide ...

VarGRAY

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarGRAY GRAY start gray colored text GRAY is one of the shortcut macros predefined in DefaultPreferences. See the section shortcut macros in that topic ...

VarADDTOHEAD

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarADDTOHEAD ADDTOHEAD You can write % nop ADDTOHEAD{...}% in a topic or template. This variable accepts the following parameters: DEFAULT optional, id ...

AccessKeys

ProjectContributor
NEW - 09 Jan 2009 - 13:00

Access Keys What are access keys? Access keys are keyboard shortcuts which allow the user to navigate around a website or a piece of computer software without having ...

TemplateWeb

ProjectContributor
NEW - 09 Jan 2009 - 13:00

Template Web Purpose Template webs were created to act as templates in creating webs. It is now possible to create webs via the .ManagingWebs topic. In the not ...

VarTOPICURL

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarTOPICURL TOPICURL shortcut to viewing the current topic This macro always expands to an url pointing to the current base topic. Current value: TOPICURL ...

VarPLUGINDESCRIPTIONS

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarPLUGINDESCRIPTIONS PLUGINDESCRIPTIONS list of plugin descriptions Syntax: % nop PLUGINDESCRIPTIONS% Expands to: Related: ACTIVATEDPLUGINS ...

VarWIKIVERSION

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarWIKIVERSION WIKIVERSION the version of the installed Foswiki engine Syntax: % nop WIKIVERSION% Expands to: Related: PLUGINVERSION, WIKITOOLNAME ...

GlossaryOfTerms

ProjectContributor
NEW - 09 Jan 2009 - 13:00

Glossary of Terms Term Definition Attachment Any type of file that is uploaded via browser and attached to a topic , where it can be viewed and downloaded ...

WebSearchAdvanced

ProjectContributor
NEW - 09 Jan 2009 - 13:00

'}% %SEARCH{ "" type "" scope "" web "" excludetopic "" nosearch "" casesensitive "" nosummary "" nototal "" order "" reverse "" limit "" zeroresults "" }% ...

CompleteDocumentation

ProjectContributor
NEW - 09 Jan 2009 - 13:00

Reference Manual () This page contains all documentation topics as one long, complete reference sheet.
Related Topics: UserDocumentationCategory, AdminDocumentationCategory ...

VarALLVARIABLES

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarALLVARIABLES ALLVARIABLES list of currently defined macros Syntax: % nop
ALLVARIABLES% Expands to: a table showing all defined macros in the ...

WebIndex

ProjectContributor
NEW - 09 Jan 2009 - 13:00

WebPreferences

ProjectContributor
NEW - 09 Jan 2009 - 13:00

nop System Web Preferences The following settings are web preferences of the System web. These preferences override the site level preferences in . and ...

VarWEBPREFSTOPIC

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarWEBPREFSTOPIC WEBPREFSTOPIC name of web preferences topic Syntax: % nop
WEBPREFSTOPIC% Expands to: , renders as Related: HOMETOPIC, ...

VarSESSIONVARIABLE

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarSESSIONVARIABLE SESSION VARIABLE get, set or clear a session variable Syntax: % nop
SESSION VARIABLE{"name"}% Syntax: % nop SESSION VARIABLE{"name" ...

VarENCODE

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarENCODE ENCODE{"string"} encodes a string to HTML entities Encode "special" characters to HTML numeric entities. Encoded characters are: all non ...

VarREVINFO

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarREVINFO REVINFO revision information of current topic Syntax: Date format defined as {DefaultDateFormat} in configure REVINFO{"format"} formatted ...

DeleteOrRenameATopic

ProjectContributor
NEW - 09 Jan 2009 - 13:00

FAQ: How do I delete or rename a topic? Answer: These two questions are answered together because often when you think you want to delete a page, more often it makes ...

VarUSERINFO

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarUSERINFO USERINFO{"name"} retrieve details about a user Syntax: % nop USERINFO% Expands to: (comma separated list of the username, wikiusername ...

VarSTATISTICSTOPIC

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarSTATISTICSTOPIC STATISTICSTOPIC name of statistics topic Syntax: % nop STATISTICSTOPIC% Expands to: , renders as Related: HOMETOPIC ...

VarN

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarN N "new" icon Current value: N Related: H, I, ICON, M, P, Q, S, T, U, X, Y

VarLOGIN

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarLOGIN LOGIN present a full login link Syntax: % nop LOGIN% Expand to: Related: UserAuthentication, SESSIONID, SESSIONVAR, LOGOUT, SESSION ...

VarS

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarS S red star icon Current value: S Related: H, I, ICON, M, N, P, Q, T, U, X, Y

VarBULLET

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarBULLET BULLET bullet character Current value: BULLET Related: BR, BB, BB2, BB3, BB4, CARET, VBAR

AdminDocumentationCategory

ProjectContributor

NEW - 09 Jan 2009 - 13:00

A List of Wiki Administrator Documentation

VarY

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarY Y "yes" icon Current value: Y Related: H, I, ICON, M, N, P, Q, S, T, U, X

SkinTemplates

ProjectContributor

NEW - 09 Jan 2009 - 13:00

Skin Templates Definition of the templates used to render output Overview Skin Templates are plain text with embedded template macros that describe how to ...

VarNAVY

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarNAVY NAVY start navy blue colored text NAVY is one of the shortcut macros predefined in DefaultPreferences. See the section shortcut macros in that ...

WikiName
ProjectContributor
NEW - 09 Jan 2009 - 13:00

Wiki name Your name, usually your first and last name connected without a space. For example, Tim Berners Lee's nop WikiName is TimBernersLee. Your name is also ...

VarINCLUDINGWEB
ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarINCLUDINGWEB INCLUDINGWEB web that includes current topic The web name of the topic that includes the current topic same as % nop WEB% if there is ...

VarSYSTEMWEB
ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarSYSTEMWEB SYSTEMWEB name of documentation web The web containing all documentation and default preference settings Syntax: % nop SYSTEMWEB% ...

TwentyMinuteTutorial
ProjectContributor
NEW - 09 Jan 2009 - 13:00

20 Minute Tutorial This step by step, hands on tutorial gets you up to speed with all the Foswiki basics... 1. Get set... Open two browser windows, so that you ...

TextFormattingRules
ProjectContributor
NEW - 09 Jan 2009 - 13:00

Text Formatting Working in Foswiki is as easy as typing in text. You don't need to know HTML, though you can use it if you prefer. Links to topics are created automatically ...

VarPUBURLPATH
ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarPUBURLPATH PUBURLPATH the base URL path of attachments Syntax: % nop PUBURLPATH% Expands to: Related: ATTACHURL, ATTACHURLPATH, PUBURL, ...

VarMAINWEB
ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarMAINWEB MAINWEB synonym for USERSWEB Deprecated . Please use % nop USERSWEB% instead.

VarBASETOPIC
ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarBASETOPIC BASETOPIC base topic where an INCLUDE started The name of the topic where a single or nested INCLUDE started same as % nop TOPIC% if there ...

VarHTTP

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarHTTP HTTP get HTTP headers Called with the name of an HTTP header field, returns its value. Capitalization and the use of hyphens versus underscores are ...

VarMAROON

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarMAROON MAROON start maroon colored text MAROON is one of the shortcut macros predefined in DefaultPreferences. See the section shortcut macros in that ...

WikiCulture

ProjectContributor
NEW - 09 Jan 2009 - 13:00

Wiki culture, concepts and principles General concept and idea of wikis What is a wiki? "A wiki is a page or collection of Web pages designed to enable anyone who ...

UsersGuide

ProjectContributor
NEW - 09 Jan 2009 - 13:00

User's Guide Documentation for users. Quick Start WelcomeGuest: A fast track intro covering all the basics BeginnersStartHere: A short introduction ...

SkinBrowser

ProjectContributor
NEW - 09 Jan 2009 - 13:00

Skin Browser You can try out the Skins currently installed on this system: %SEARCH{ "1" topic " Skin" scope "topic" web ",TWiki" type "query ...

DeleteOrRenameAnAttachment

ProjectContributor
NEW - 09 Jan 2009 - 13:00

FAQ: How do I delete or rename a file attachment? Answer: You can move and delete attachments directly from your browser. Moving lets you transfer an attachment from ...

VarQUERYSTRING

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarQUERYSTRING QUERYSTRING full, unprocessed string of parameters to this URL String of all the URL parameters that were on the URL used to get to the current ...

FormattedSearch

ProjectContributor
NEW - 09 Jan 2009 - 13:00

Formatted Search Inline search feature allows flexible formatting of search result The default output format of a % nop SEARCH{...}% is a table consisting of topic ...

StaticMethod

ProjectContributor
NEW - 09 Jan 2009 - 13:00

A StaticMethod is a method in a package that can be called without reference to an object of the package type. For example, package Telecoms StaticMethod defaultColour ...

VarH

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarH H help icon Current value: H Related: I, ICON, M, N, P, Q, S, T, U, X, Y
VarHTTPHOST

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarHTTPHOST HTTP HOST environment variable Syntax: % nop HTTP HOST% Expands to: Related: ENV, REMOTE ADDR, REMOTE PORT, REMOTE USER

VarTWIKIWEB

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarTWIKIWEB TWIKIWEB synonym for SYSTEMWEB Deprecated. Please use % nop SYSTEMWEB% instead.

VarHOMETOPIC

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarHOMETOPIC HOMETOPIC home topic in each web Syntax: % nop HOMETOPIC% Expands to: , renders as Related: NOTIFYTOPIC, STATISTICSTOPIC, ...

VarPUBURL

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarPUBURL PUBURL the base URL of attachments Syntax: % nop PUBURL% Expands to: Example: You can refer to a file attached to another topic with ...

TopicsAndWebs

ProjectContributor
NEW - 09 Jan 2009 - 13:00

Topics The basic building block of a Foswiki site is called a topic , identified by a unique, hopefully descriptive, .WikiWord title. It may seem easier just to call ...

HierarchicalNavigation

ProjectContributor
NEW - 09 Jan 2009 - 13:00

Hierarchical Navigation Navigation block that displays the current topic, its parent and children (if any). This is intended to be included in other topics, for ...

VarWEB

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarWEB WEB name of current web % nop WEB% expands to the name of the web where the topic is located. If you are looking at the text of an included topic ...

VarOLIVE

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarOLIVE OLIVE start olive green colored text OLIVE is one of the shortcut macros predefined in DefaultPreferences. See the section shortcut macros in ...

VarPINK

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarPINK PINK start pink colored text PINK is one of the shortcut macros predefined in DefaultPreferences. See the section shortcut macros in that topic ...

VarSEARCH

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarSEARCH SEARCH{"text"} search content Inline search, shows a search result embedded in a topic
Syntax: % nop SEARCH{"text" ...}% Supported parameters ...

WikiSyntaxSummary

ProjectContributor

NEW - 09 Jan 2009 - 13:00

This page provides online help for new users of Foswiki when editing a page. If there's some formatting that your contributors use often, you can customize this for ...

VarWIKINAME

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarWIKINAME WIKINAME your Wiki username The WikiName is the same as % nop USERNAME% if not defined in the . topic Syntax: % nop WIKINAME% Expands ...

VarGROUPS

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarGROUPS GROUPS a formatted list of groups Expands to a formatted list of user groups in your Wiki .
Syntax: % nop GROUPS% The macro is intended ...

WebSiteTools

ProjectContributor

NEW - 09 Jan 2009 - 13:00

Web Site Tools (More options in WebSearch) WebChanges: Display recent changes to the web WebIndex: List all topics in alphabetical order. See ...

VarWIKIHOMEURL

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarWIKIHOMEURL WIKIHOMEURL site home URL Syntax % nop WIKIHOMEURL% Expands to Normally by default set to % nop SCRIPTURLPATH{"view"}% ...

VarBB3

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarBB3 BB3 level 3 bullet with line break Line break and bullet, level 3. Current value: BB3 Related: BR, BULLET, BB, BB2, BB4, VBAR

VarWIKIUSERSTOPIC

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarWIKIUSERSTOPIC WIKIUSERSTOPIC name of topic listing all registers users Syntax: % nop WIKIUSERSTOPIC% Expands to: , with prefix renders as

VarENDSECTION

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarENDSECTION ENDSECTION{"name"} marks the end of a named section within a topic Syntax: % nop
ENDSECTION{"name"}% Syntax: % nop ENDSECTION{type ...

GnuGeneralPublicLicense

ProjectContributor

NEW - 09 Jan 2009 - 13:00

FAQ: Foswiki has a GPL (GNU General Public License). What is GPL? Answer: Foswiki is distributed under the GNU General Public License, see DownloadSources. GPL is ...

PrintSkin

ProjectContributor

NEW - 09 Jan 2009 - 13:00

Print Skin The print skin, useful to print pages with a small header and footer. Other skins, such as PatternSkin, may introduce their own print skin. This skin is ...

VarX

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarX X warning icon Current value: X Related: H, I, ICON, M, N, P, Q, S, T, U, Y

Macros

ProjectContributor

NEW - 09 Jan 2009 - 13:00

Macros Special text strings expand on the fly to display user data or system info Macros are text strings % nop
MACRONAME% or % nop MACRONAME{ parameter "value ...

WikiReferences

ProjectContributor

NEW - 09 Jan 2009 - 13:00

References on Wiki and Collaboration Some useful articles and books around collaboration and the Wiki technology in particular. Wiki Technology Book: The Wiki ...

AdminSkillsAssumptions

ProjectContributor

NEW - 09 Jan 2009 - 13:00

Administrator Skills Assumptions Note: If you aren't already fairly well skilled in Linux/Unix/Windows, Apache, and so on, consider using a version in a pre packaged ...

VarPURPLE

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarPURPLE PURPLE start purple colored text PURPLE is one of the shortcut macros predefined in DefaultPreferences. See the section shortcut macros in that ...

SimultaneousEdits

ProjectContributor

NEW - 09 Jan 2009 - 13:00

FAQ: What happens if two of us try to edit the same topic simultaneously? Answer: Foswiki allows multiple simultaneous edits of the same topic, and then merges the ...

SiteTools

ProjectContributor

NEW - 09 Jan 2009 - 13:00

Site Tools Utilities for searching, navigation, and monitoring site activity Site Tools include utilities for navigating, searching and keeping up with site activity ...

VarATTACHURL

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarATTACHURL ATTACHURL full URL for attachments in the current topic Syntax: % nop ATTACHURL% Expands to: Example: If you attach a file you ...

VarMAKETEXT

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarMAKETEXT MAKETEXT creates text using Foswiki's nop I18N infrastructure Syntax: % nop MAKETEXT{"string" args "..."}% Supported parameters: ...

VarFAILEDPLUGINS

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarFAILEDPLUGINS FAILEDPLUGINS debugging for plugins that failed to load, and handler list Syntax: % nop FAILEDPLUGINS% Expands to: See Plugins#FAILEDPLUGINS ...

FileAttribute

ProjectContributor

NEW - 09 Jan 2009 - 13:00

Each FileAttachment in a Topic can have additional attributes. At present only the H (hidden) attribute is supported. If this attribute is set then the attachment ...

VarVBAR

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarVBAR VBAR vertical bar The vertical bar macro can be used in TML tables. Current value: VBAR Related: BR, BULLET, BB, BB2, BB3, BB4, CARET ...

ContributedAddOns

ProjectContributor

NEW - 09 Jan 2009 - 13:00

Add Ons Add functionality with extensions not based on the Foswiki scripts. Overview An add on runs separately from the Foswiki scripts, e.g. for data import, export ...

VarU

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarU U "updated" icon Current value: U Related: H, I, ICON, M, N, P, Q, S, T, X, Y

VarLOGOUT

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarLOGOUT LOGOUT present a full logout link Syntax: % nop LOGOUT% Expand to: Related: UserAuthentication, SESSIONID, SESSIONVAR, LOGIN, SESSION ...

SearchPatternCookbook

ProjectContributor

NEW - 09 Jan 2009 - 13:00

Search Pattern Cookbook The Search function is very powerful. Searches using a RegularExpression play an important part of tapping Foswiki's full potential. Unfortunately ...

WebCreateNewTopic

ProjectContributor

NEW - 09 Jan 2009 - 13:00

TimBernersLee

ProjectContributor

NEW - 09 Jan 2009 - 13:00

Tim Berners Lee invented the World Wide Web while working at CERN in 1989. See his biography at [http://www.w3.org/People/Berners Lee/](http://www.w3.org/People/Berners_Lee/)

VarRED

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarRED RED start red colored text RED is one of the shortcut macros predefined in DefaultPreferences. See the section shortcut macros in that topic for ...

VarP

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarP P pencil icon Current value: P Related: H, I, ICON, M, N, Q, S, T, U, X, Y

VarATTACHURLPATH

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarATTACHURLPATH ATTACHURLPATH path of the attachment URL of the current topic Syntax: % nop ATTACHURLPATH% Expands to: Related: ATTACHURL ...

VarTEAL

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarTEAL TEAL start teal colored text TEAL is one of the shortcut macros predefined in DefaultPreferences. See the section shortcut macros in that topic ...

VarWIKIPREFSTOPIC

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarWIKIPREFSTOPIC WIKIPREFSTOPIC name of site wide preferences topic Syntax: % nop WIKIPREFSTOPIC% Expands to: , renders as Related: HOMETOPIC ...

VarDATE

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarDATE DATE signature format date Syntax: % nop DATE% Expands to: Date format defined as {DefaultDateFormat} in configure When used ...

WikiSyntax

ProjectContributor

NEW - 09 Jan 2009 - 13:00

Shorthand Basics If you can enter text, you're ready for Foswiki. With a few simple rules, you'll be able to use plain text to create well styled postings, instantly ...

QuerySearch

ProjectContributor
NEW - 09 Jan 2009 - 13:00

Query Search Query searches help you search the contents of forms attached to your topics, as well as the values of other meta data attached to the topic. Using query ...

VarGREEN

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarGREEN GREEN start green colored text GREEN is one of the shortcut macros predefined in DefaultPreferences. See the section shortcut macros in that topic ...

VarSPACEOUT

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarSPACEOUT SPACEOUT{"string"} renders string with spaces inserted in sensible places Inserts spaces after lower case letters that are followed by a digit ...

VarBB2

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarBB2 BB2 level 2 bullet with line break Line break and bullet, level 2. Current value: BB2 Related: BR, BULLET, BB, BB3, BB4, VBAR

VarIF

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarIF IF{"condition" ...} simple conditionals Evaluate a condition and show one text or another based on the result. See details in IfStatements Syntax ...

VarLIME

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarLIME LIME start lime colored text LIME is one of the shortcut macros predefined in DefaultPreferences. See the section shortcut macros in that topic ...

VarORANGE

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarORANGE ORANGE start orange colored text ORANGE is one of the shortcut macros predefined in DefaultPreferences. See the section shortcut macros in that ...

SearchHelp

ProjectContributor
NEW - 09 Jan 2009 - 13:00

Search Help Search Pages There are two search pages; WebSearch offers basic search features, while WebSearchAdvanced offers more control over searches. By default ...

SearchDoesNotWork

ProjectContributor
NEW - 09 Jan 2009 - 13:00

FAQ: I've problems with the nop WebSearch. There is no Search Result on any inquiry. By clicking the Index topic it's the same problem. Answer: That is an indication ...

WebChanges

ProjectContributor
NEW - 09 Jan 2009 - 13:00

, nop "% "}% " reverse "on"% //WebRss, //, //?limit 100, //?limit 200, //?limit 500, //?limit 1000, //?limit All"%

VarREMOTEADDR

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarREMOTEADDR REMOTE ADDR environment variable Syntax: % nop REMOTE ADDR% Expands to: Related: ENV, HTTP HOST, REMOTE PORT, REMOTE USER

VarHTTPS

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarHTTPS HTTPS get HTTPS headers The same as % nop HTTP% but operates on the HTTPS environment variables present when the SSL protocol is in effect. Can ...

FaqTemplate

ProjectContributor
NEW - 09 Jan 2009 - 13:00

FAQ: Answer: Back to: FrequentlyAskedQuestions

VarVAR

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarVAR VAR{"NAME" web "Web"} get a preference value from another web Syntax: % nop VAR{"NAME" web "Web"}% Example: To get % nop WEBBGCOLOR% of the ...

VarLANGUAGE

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarLANGUAGE LANGUAGE current user's language Returns the language code for the language used as the current user. This is the language actually used by Foswiki ...

VarWHITE

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarWHITE WHITE start white colored text WHITE is one of the shortcut macros predefined in DefaultPreferences. See the section shortcut macros in that topic ...

NatSkinTopicDoesNotExistViewTemplate

ProjectContributor
NEW - 09 Jan 2009 - 13:00

%SEARCH{"moved.from'.'" nosearch "on" nototal "on" type "query" format "" }% %SEARCH{" header "" limit "100" scope "topic" web "" nonoise ...

VarBROWN

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarBROWN BROWN start brown colored text BROWN is one of the shortcut macros predefined in DefaultPreferences. See the section shortcut macros in that topic ...

VarSCRIPTNAME

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarSCRIPTNAME SCRIPTNAME name of current script The name of the current script is shown, including script suffix, if any (for example viewauth.cgi) ...

VarLOCALSITEPREFS

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarLOCALSITEPREFS LOCALSITEPREFS web.topicname of site preferences topic The full name of the local site preferences topic. These local site preferences overload ...

VarTOC

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarTOC TOC{"Topic"} table of contents Table of Contents. Shows a TOC that is generated automatically based on headings of a topic. Headings in WikiSyntax ...

DocumentGraphics

ProjectContributor

NEW - 09 Jan 2009 - 13:00

Documentation Graphics and Filetype icons This is the Foswiki icon library. The graphics can be used in topics and by web applications. Usage Default notation: ...

AnApplicationWithWikiForm

ProjectContributor

NEW - 09 Jan 2009 - 13:00

FAQ: How can I create a simple data form based application? Answer: This answer assumes you have basic knowledge about Data Forms. Using the steps below, you will ...

VarLANGUAGES

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarLANGUAGES LANGUAGES list available languages List the languages available (as PO files). These are the languages in which the user interface is ...

PlainSkin

ProjectContributor

NEW - 09 Jan 2009 - 13:00

Plain Skin The plain skin is used to get the rendered topic text without any page decoration such as side, top or bottom bars. The text is shown without any markup ...

VarNOTIFYTOPIC

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarNOTIFYTOPIC NOTIFYTOPIC name of the notify topic Syntax: % nop NOTIFYTOPIC% Expands to: , renders as Related: HOMETOPIC, STATISTICSTOPIC ...

Plugins

ProjectContributor

NEW - 09 Jan 2009 - 13:00

Foswiki Plugins Add functionality to Foswiki with plugins Overview You can add plugins to extend Foswiki functionality without altering the core code. A plug in ...

VarURLPARAM

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarURLPARAM URLPARAM{"name"} get value of a URL parameter Returns the value of a URL parameter. Syntax: % nop URLPARAM{"name"}% Supported parameters ...

VarQUERYPARAMS

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarINCLUDE QUERYPARAMS show paramaters to the query Expands the parameters to the query that was used to display the page. Syntax: % nop QUERYPARAMS ...

WebAtom

ProjectContributor

NEW - 09 Jan 2009 - 13:00

Wiki 's nop System web The Documentation Web of Foswiki. Foswiki is the Free and Open Source Wiki.

ReferenceManual

ProjectContributor

NEW - 09 Jan 2009 - 13:00

Reference Manual Documentation for webmasters, system administrators, project managers, team leaders, and all other users of Foswiki the Free and Open Source Wiki ...

VarICON

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarICON ICON{"name"} small documentation graphic or icon of common attachment types Generates the HTML img tag of a small graphic image attached to DocumentGraphics ...

VarSTOPINCLUDE

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarSTOPINCLUDE STOPINCLUDE end position of topic text if included If present in included topic, stop to include text at this location and ignore the remaining ...

VarTOPICLIST

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarTOPICLIST TOPICLIST{"format"} topic index of a web List of all topics in a web. The "format" defines the format of one topic item. It may include formatting ...

VarSERVERTIME

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarSERVERTIME SERVERTIME{"format"} formatted server time Same format qualifiers as % nop GMTIME% Syntax: % nop SERVERTIME% OR % nop SERVERTIME{ ...

DownloadSources

ProjectContributor

NEW - 09 Jan 2009 - 13:00

FAQ: I would like to install Foswiki on my server. Can I get the source? Answer: Foswiki is distributed under the GnuGeneralPublicLicense. You can get the source ...

VarSTARTINCLUDE

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarSTARTINCLUDE STARTINCLUDE start position of topic text if included If present in included topic, start to include text from this location up to the end ...

VarM

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarM M moved to... icon Current value: M Related: H, I, ICON, N, P, Q, S, T, U, X, Y

VarBLACK

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarBLACK BLACK start black colored text BLACK is one of the shortcut macros predefined in DefaultPreferences. See the section shortcut macros in that topic ...

VarUSERSWEB

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarUSERSWEB USERSWEB name of users web The web containing individual user topics, .WikiGroups, and customised site wide preferences. Syntax: % nop USERSWEB ...

WhatIsWikiWiki

ProjectContributor

NEW - 09 Jan 2009 - 13:00

FAQ: So what is this nop WikiWiki thing exactly? Answer: A set of pages of information that are open and free for anyone to edit as they wish. They are stored in ...

VarWEBLIST

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarWEBLIST WEBLIST{"format"} index of all webs List of all webs. Obfuscated webs are excluded, e.g. webs with a NOSEARCHALL on preference setting. The ...

VarICONURLPATH

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarICONURLPATH ICONURLPATH{"name"} URL path of small documentation graphic or icon Generates the URL path of a DocumentGraphics image, typically used in an ...

VarENV

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarENV ENV{"varname"} inspect the value of an environment variable Returns the current value of the environment variable in the CGI (Common Gateway Interface ...

VarBASEWEB

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarBASEWEB BASEWEB base web where an INCLUDE started The web name where the includes started, e.g. the web of the first topic of nested includes. Same as ...

VarYELLOW

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarYELLOW YELLOW start yellow colored text YELLOW is one of the shortcut macros predefined in DefaultPreferences. See the section shortcut macros in that ...

VarBLUE

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarBLUE BLUE start blue colored text BLUE is one of the shortcut macros predefined in DefaultPreferences. See the section shortcut macros in that topic ...

VarMETA

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarMETA META displays meta data Provided mainly for use in templates, this macro generates the parts of the topic view that relate to meta data (attachments ...

VarREMOTEUSER

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarREMOTEUSER REMOTE USER environment variable Syntax: % nop REMOTE USER% Expands to: Related: ENV, HTTP HOST, REMOTE ADDR, REMOTE PORT, USERNAME ...

EditDoesNotIncreaseTheRevision

ProjectContributor

NEW - 09 Jan 2009 - 13:00

FAQ: Why does the topic revision not increase when I edit a topic? Answer: The same topic revision will be used when you save a topic again within a certain time ...

VarGMTIME

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarGMTIME GMTIME{"format"} formatted GM time Syntax: % nop GMTIME% OR % nop GMTIME{"format"}% % nop GMTIME% uses the default date format defined ...

ClassMethod

ProjectContributor

NEW - 09 Jan 2009 - 13:00

A ClassMethod is a method that must be called relative to the containing class object. This normally only applies to the new method used to create new object instances ...

GoodStyle

ProjectContributor

NEW - 09 Jan 2009 - 13:00

Collaboration Tips Following you will find a short list of hints and recommendations that are considered basic knowledge when starting to edit existing topics. ...

VarBB

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarBB BB bullet with line break Line break and bullet without indentation. Current value: BB Related: BR, BULLET, BB2, BB3, BB4, CARET, VBAR ...

FrequentlyAskedQuestions

ProjectContributor

NEW - 09 Jan 2009 - 13:00

Frequently Asked Questions This is a real FAQ, and also a demo of an easily implemented knowledge base solution. To see how it's done, view the source of this topic ...

VarCARET

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarCARET CARET caret symbol The CARET macro is useful in TML tables. Current value: CARET

Related: BR, BULLET, BB, BB2, BB3, BB4, VBAR

VarSTARTSECTION

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarSTARTSECTION STARTSECTION marks the start of a section within a topic Section boundaries are defined with % nop STARTSECTION{ }% and % nop ENDSECTION ...

MainFeatures

ProjectContributor

NEW - 09 Jan 2009 - 13:00

Main Features Any web browser: Edit existing pages or create new pages by using any web browser. There is no need to upload pages. Edit link: To edit ...

VarENDCOLOR

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarENDCOLOR ENDCOLOR end colored text ENDCOLOR is a shortcut macros predefined in DefaultPreferences. See the section shortcut macros in that topic for ...

VarICONURL

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarICONURL ICONURL{"name"} URL of small documentation graphic or icon Generates the full URL of a DocumentGraphics image, which Foswiki renders as an image ...

VarUSERNAME

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarUSERNAME USERNAME your login username Foswiki makes names available in three formats: USERNAME like jsmith , WIKINAME like JohnSmith and WIKIUSERNAME ...

VarSCRIPTURL

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarSCRIPTURL SCRIPTURL{"script"} URL of script Syntax: % nop SCRIPTURL% OR % nop SCRIPTURL{"script"}% % nop SCRIPTURL% returns the base URL of ...

VarI

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarI I idea icon Current value: I Related: H, ICON, M, N, P, Q, S, T, U, X, Y

WebHome

ProjectContributor

NEW - 09 Jan 2009 - 13:00

Come to foswiki.org. Welcome to the System Web The place to learn about Foswiki features, and perform

Foswiki system maintenance. This site is running Foswiki ...

VarNOP

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarNOP NOP template text not to be expanded in instantiated topics Syntax: % nop NOP% In normal topic text, expands to nop , which prevents expansion ...

Contribs

ProjectContributor

NEW - 09 Jan 2009 - 13:00

Foswiki Contribs Extensions that sit close to the core, or provide services for other extensions Overview

Foswiki contribs extend the functionality of Foswiki, ...

ManagingTopics

ProjectContributor

NEW - 09 Jan 2009 - 13:00

Managing Topics Browser based rename, move, and delete for individual topics Overview You can use browser based controls to change a name of a topic, move it to ...

WelcomeGuest

ProjectContributor

NEW - 09 Jan 2009 - 13:00

Welcome to Wiki Welcome to nop Wiki ! This site is a meeting place to work on common interests. Anyone can contribute using any web browser. nop Wiki looks like ...

VarAQUA

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarAQUA AQUA start aqua colored text AQUA is one of the shortcut macros predefined in DefaultPreferences. See the section shortcut macros in that topic ...

VarT

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarT T tip icon Current value: T Related: H, I, ICON, M, N, P, Q, S, U, X, Y

CategoryCategory

ProjectContributor

NEW - 09 Jan 2009 - 13:00

List of all Category topics

VarWIKIUSERNAME

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarWIKIUSERNAME WIKIUSERNAME your Wiki username with web prefix Your % nop WIKIUSERNAME% with web prefix, useful to point to your nop Wiki home page Syntax ...

VarWIKITOOLNAME

ProjectContributor

NEW - 09 Jan 2009 - 13:00

#VarWIKITOOLNAME WIKITOOLNAME name of your site Syntax: % nop WIKITOOLNAME% Expands to: Wiki Related: WIKIHOMEURL, WIKIVERSION

VarREMOTEPORT

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarREMOTEPORT REMOTE PORT environment variable Syntax: % nop REMOTE PORT% Expands to:
Related: ENV, HTTP HOST, REMOTE ADDR, REMOTE USER

VarSESSIONID

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarSESSIONID SESSIONID unique ID for this session Syntax: % nop SESSIONID% Expand to: Related:
UserAuthentication, AUTHREALM, SESSIONVAR, LOGIN ...

HierarchicalNavigationChildExample

ProjectContributor
NEW - 09 Jan 2009 - 13:00

Example child topic for HierarchicalNavigation.

VarDISPLAYTIME

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarDISPLAYTIME DISPLAYTIME{"format"} formatted display time Formatted time either GMT or
Local server time, depending on {DisplayTimeValues} setting in ...

VarPLUGINVERSION

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarPLUGINVERSION PLUGINVERSION the version of a Foswiki Plugin, or the Foswiki Plugins API
Syntax: % nop PLUGINVERSION{"name"}% to get the version of a ...

VarFORMFIELD

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarFORMFIELD FORMFIELD{"fieldname"} renders a field in the form attached to some topic Syntax: %
nop FORMFIELD{"fieldname"}% Supported parameters: ...

VarSPACEDTOPIC

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarSPACEDTOPIC SPACEDTOPIC topic name, spaced and URL encoded deprecated The current topic
name with added URL encoded spaces, for use in regular expressions ...

VarQ

ProjectContributor
NEW - 09 Jan 2009 - 13:00

#VarQ Q question icon Current value: Q Related: H, I, ICON, M, N, P, S, T, U, X, Y

WebLinks

ProjectContributor
r2 - 08 Jan 2009 - 09:09

WebLinks Navigation links in the web. Tutorial Users Guide FAQ Reference Manual Macros

MathModePlugin

ProjectContributor
r2 - 07 Jan 2009 - 18:12

MathModePlugin Powered by nop WikiRing Consultants Description This plugin allows you to include mathematics in a topic, with a format very similar ...

SubscribePlugin

WikiGuest

NEW - 03 Dec 2008 - 15:09

Subscribe Plugin Example (only works if plugin is installed, and you are logged in (not .WikiGuest)): Usage Access Controls The guest user is not allowed to subscribe ...

VarSUBSCRIBE

WikiGuest

NEW - 03 Dec 2008 - 15:09

#VarSUBSCRIBE SUBSCRIBE{ attributes } subscribe the current user for notification of changes to the current topic Anywhere in a topic or template: % nop ...

PatternSkinColorSettings

ProjectContributor

NEW - 30 Nov 2008 - 14:16

Color scheme settings for .PatternSkin Use this topic to change the color settings of .PatternSkin. When this topic is saved, the attachment my colors.css will be ...

PatternSkin

ProjectContributor

NEW - 29 Nov 2008 - 16:40

Pattern skin Select a theme to change the look, or tune the entire appearance with CSS or templates. Browse available themes You may quickly change the appearance ...

TinyMCEFrequentlyAskedQuestions

ProjectContributor

NEW - 27 Nov 2008 - 08:14

TinyMCE FAQs Frequently Asked Questions of the TinyMCEPlugin integration. #FixingTheButtons Q: I want the old buttons (Edit and WYSIWYG) in 4.1.x to work the same ...

SlideShowPlugin

ProjectContributor

NEW - 02 Aug 2008 - 10:26

Slide Show Plugin This plugin converts a topic with headings into a slideshow. Introduction There is already a defacto standard for presentations, why this plugin ...

VarEDITACTION

ProjectContributor

NEW - 29 Jul 2008 - 02:53

#VarEDITACTION EDITACTION Selects an edit template The EDITACTION preference setting lets you define the use of an editaction template instead of the standard ...

UserRegistration_old

ProjectContributor

NEW - 19 Jul 2008 - 19:48

%IF{"context registration supported" then " "}% " else " " }% ...

NatSkinStyleBrowser

ProjectContributor

NEW - 12 Feb 2008 - 19:13

Style Browser Explore the style variations of the .NatSkin by changing the base style and a variation of it. In

general style variations are used to change the ...

TwistyPlugin

ProjectContributor

NEW - 19 Nov 2007 - 16:59

nop TwistyPlugin A "twisty" is an interface toggle control to show and hide content. TwistyPlugin gives you several options to control the appearance of a twisty ...

AutoViewTemplatePlugin

ProjectContributor

NEW - 13 Nov 2007 - 16:03

nop AutoViewTemplatePlugin Description This plugin sets the VIEW TEMPLATE and EDIT TEMPLATE variables according to a corresponding form definition. So when you attach ...

AutoTemplatePlugin

ProjectContributor

NEW - 13 Nov 2007 - 16:03

nop AutoTemplatePlugin %IF{"context 'AutoViewTemplatePluginEnabled' and context 'AutoTemplatePluginEnabled'" then " WARNING: You have enabled both AutoTemplatePlugin ...

SpreadSheetPlugin

ProjectContributor

NEW - 13 Oct 2007 - 03:49

Foswiki Spreadsheet Plugin This Plugin adds spreadsheet capabilities to Wiki topics. Formulae like % nop CALC{"\$INT(7/3)"}% are evaluated at page view time. They ...

EditTablePlugin

ProjectContributor

NEW - 07 Oct 2007 - 10:04

Edit Table Plugin Simply add an Edit table button to an existing table by writing % nop EDITTABLE{ }% directly above the table. This can be added to tables ...

VarEDITTABLE

ProjectContributor

NEW - 07 Oct 2007 - 10:04

#VarEDITTABLE EDITTABLE{ attributes } edit tables using edit fields and other input fields The % nop EDITTABLE{ }% macro is handled by the EditTablePlugin ...

VarTABLE

ProjectContributor

NEW - 07 Oct 2007 - 06:09

#VarTABLE TABLE{ attributes } control attributes of tables and sorting of table columns The % nop TABLE{ }% macro is handled by the TablePlugin Syntax ...

TablePlugin

ProjectContributor

NEW - 07 Oct 2007 - 06:09

Table Plugin Gives extra control of table display: Allows sorting Changing table properties like border width, cell spacing and cell padding Changing ...

VarRENDERLIST

ProjectContributor

NEW - 30 Sep 2007 - 10:29

#VarRENDERLIST RENDERLIST render bullet lists in a variety of formats The % nop RENDERLIST%

macro is handled by the RenderListPlugin Syntax: % nop ...

RenderListPlugin

ProjectContributor

NEW - 30 Sep 2007 - 10:27

Render List Plugin Syntax Rules RENDERLIST Macro Place a % nop RENDERLIST{ parameters }% before any bullet list The lists can be handcrafted, generated ...

VarSLIDESHOWEND

ProjectContributor

NEW - 30 Sep 2007 - 08:31

#VarSLIDESHOWEND SLIDESHOWEND end slideshow The % nop SLIDESHOWEND% macro is handled by the SlideShowPlugin Syntax: % nop SLIDESHOWEND% Example ...

VarSLIDESHOWSTART

ProjectContributor

NEW - 30 Sep 2007 - 08:30

#VarSLIDESHOWSTART SLIDESHOWSTART convert a topic with headings into a slideshow The % nop SLIDESHOWSTART% macro is handled by the SlideShowPlugin Syntax ...

UserSetting

ProjectContributor

r2 - 21 Aug 2007 - 00:46

User Settings preference settings customizable by users Some of the preference settings are explicitly intended to be customized by users, though a default is provided ...

InterWikis

ProjectContributor

NEW - 12 Aug 2007 - 03:15

nop Inter Wiki Link Rules (or Links to other Sites) This topic lists all aliases needed to map Inter Site links to external wikis/sites. Whenever you write ExternalSite ...

InterwikiPlugin

ProjectContributor

NEW - 12 Aug 2007 - 03:15

Interwiki Plugin The nop InterwikiPlugin links ExternalSite:Page text to external sites based on aliases defined in the .InterWikis topic. This plugin is inspired ...

NatEditPlugin.JSUnitTests

ProjectContributor

NEW - 02 Aug 2007 - 09:40

```
function testSingleNumberedBullet1() { txtarea.value '\na\nb\nc\nd\n'; textareaSelect('b'); natInsertListTag(' 1', 'numbered bullet,'); assertStringEquals ...
```

BehaviourContrib

ProjectContributor

NEW - 08 Jul 2007 - 18:54

Behaviour Javascript framework Contrib This contrib packages the third party Behaviour Javascript event library, written by Ben Nolan. Behaviour uses CSS selectors ...

VarCOMMENT

ProjectContributor

NEW - 22 Jun 2007 - 23:25

#VarCOMMENT COMMENT{ attributes } insert an edit box into the topic to easily add comments. A % nop

COMMENT% without parameters shows a simple text box ...

SyntaxHighlightingPlugin

ProjectContributor

NEW - 22 Jun 2007 - 23:25

SyntaxHighlightingPlugin Description The Syntax Highlighting Plugin is used to emphasize the rendering of your wiki text according to several languages. It uses ...

RedirectPlugin

ProjectContributor

NEW - 22 Jun 2007 - 23:25

Redirect Plugin I typically use this to make easy to type shortforms/acronyms of topic names. For example: Actual content appears under nop Main.LightweightDirectoryAccessProtocol ...

VarCALC

ProjectContributor

NEW - 03 Jun 2007 - 00:57

#VarCALC CALC{"formula"} add spreadsheet calculations to tables and outside tables The % nop CALC{"formula"}% macro is handled by the SpreadSheetPlugin. ...

VotePlugin

ProjectContributor

NEW - 30 May 2007 - 18:41

nop VotePlugin This plugin can be used to build an online voting system, or poll . There are two ways to vote for an item: select : vote for a given choice ...

WebLeftBarExample

ProjectContributor

NEW - 09 May 2007 - 23:29

" warn "off"}% BeginnersStartHere TextFormattingRules Macros ...

UsersTemplate

AdminGroup

r2 - 07 May 2007 - 23:45

List of nop Wiki users Below is a list of users with accounts. If you want to edit topics or see protected areas of the site then you can get added to the list by ...

TagMeChangeRequests

ProjectContributor

NEW - 18 Apr 2007 - 21:14

Tag me: Change Requests Note: Renaming and deleting of tags is ususally done by users that have received permissions to do this. Permissions are set in TagMePlugin ...

CommentPluginExamples

ProjectContributor

NEW - 08 Apr 2007 - 11:40

Top comment output 2 ProjectContributor 26 Nov 2006 Top comment output 1 ProjectContributor 26 Nov 2006 CommentPlugin examples CommentPlugin templates ...

NatEditWordHelpText

ProjectContributor

NEW - 02 Apr 2007 - 14:29

NatEditWordHelpText Help text for the NatEditPlugin editor B Bold I Bold Underline Strike l Subscript ^ Superscript ...

CommentPlugin

ProjectContributor

NEW - 04 Feb 2007 - 15:05

Comment Plugin Comment Plugin lets users quickly post comments to a page without an edit/preview/save cycle. Related topics: CommentPluginTemplates, CommentPluginExamples ...

SiteNothingFound

ProjectContributor

NEW - 30 Jan 2007 - 17:26

Do you want to create 'nop SiteNothingFound'?

WebLeftBarWebsList

ProjectContributor

NEW - 14 Jan 2007 - 02:40

/ \$name/ "nop \$indentedname" } %

NatSkinCss

ProjectContributor

NEW - 09 Jan 2007 - 17:25

NatSkinCss This is a reference guide to all css classes used by NatSkin. These are all classes and not ids , that is all classes below are applied to the html markup ...

NatSkinConfiguration

ProjectContributor

NEW - 09 Jan 2007 - 17:22

NatSkinConfiguration Theme configuration The different NatSkin styles (themes) are controlled using preference variables and can be set per user (on the user ...

TipsContrib

ProjectContributor

NEW - 05 Jan 2007 - 05:02

Tips Contrib Package Displays a rotating "Tip of the Day" to help familiarize new users with Foswiki features. Includes an application for creating custom tips for ...

TipsOfTheDayInclude

ProjectContributor

NEW - 05 Jan 2007 - 05:02

Tips Of the Day Include This Page randomly picks a Tip of the day to display. The includes the part between the horizontal rules. Tip of the Day))\$SET(pos, \$FIND ...

LdapNgPlugin

ProjectContributor

NEW - 02 Jan 2007 - 16:45

nop LdapNgPlugin Powered by nop WikiRing Consultants This plugin provides an interface to query an LDAP directory and display the results in a nop ...

TipTopic013

ProjectContributor

NEW - 01 Jan 2007 - 23:20

Preference settings Foswiki has four levels of preferences settings: 1 Site level settings: Site name, proxy settings, access control, skin 1 Web level ...

NewUserTemplate

ProjectContributor

NEW - 28 Dec 2006 - 23:49

: My Links BeginnersStartHere view a short introductory presentation on Foswiki for beginners
WelcomeGuest starting points on Foswiki UsersGuide ...

CommentPluginTemplate

ProjectContributor

NEW - 17 Dec 2006 - 00:01

Templates for CommentPlugin See CommentPlugin: Customisation for help. While this topic can be viewed as a topic, it is used by the CommentPlugin as a template file ...

RenderLdapUser

ProjectContributor

NEW - 04 Dec 2006 - 19:39

RenderLdapUser Description Extract user information from an Ldap directory. Note, you have to install the Foswiki:Extensions/LdapNgPlugin to make this work. Depending ...

NewUserPlugin

ProjectContributor

NEW - 30 Nov 2006 - 22:00

NewUserPlugin Description Powered by nop WikiRing Consultants This plugin is of use in those cases where users are registered and authenticated ...

NewLdapUserTemplate

ProjectContributor

NEW - 30 Nov 2006 - 19:08

@ nop Wiki %\$nopINCLUDE{".RenderLdapUser" KEY ""}%

TipsOfTheDayAddNew

ProjectContributor

NEW - 15 Nov 2006 - 20:43

Add New Tip Of The Day There are Custom Tips maintained on your local Wiki installation, Official Tips distributed with the Tips Contrib, and Plugin Tips maintained ...

TagMeRenameTag

ProjectContributor

NEW - 14 Nov 2006 - 21:36

Tag me: Rename Tag Create New Tag Rename Tag Delete Tag " oldtag "" newtag "" note "" }% Tag to rename: New name for this tag: Other tag options ...

TagMeCreateNewTag

ProjectContributor

NEW - 14 Nov 2006 - 21:36

Tag me: Create New Tag Create New Tag Rename Tag Delete Tag Create a new tag then add it to a topic. " tag "" note "" }% Name of new tag: ...

TagMeDeleteTag

ProjectContributor

NEW - 14 Nov 2006 - 21:36

Tag me: Delete Tag Create New Tag Rename Tag Delete Tag " oldtag "" note "" }% Tag to delete: Other tag options: View all tags, View my tags ...

TagMeSearch

ProjectContributor

NEW - 14 Nov 2006 - 21:36

Tag me: Tag Search All Tags My Tags Tag Search Show topics tagged with " }% by all users me only " topic
"" tag "" by "" }% Other tag options ...

TagMeViewMyTags

ProjectContributor

NEW - 15 Oct 2006 - 02:19

Tag me: View My Tags All Tags My Tags Tag Search /System/TagMeSearch?tag \$tag;by \" style \"font
size:\$size%\" \$tag" separator " " minsize ...

TagMeViewAllTags

ProjectContributor

NEW - 15 Oct 2006 - 02:19

Tag me: View All Tags All Tags My Tags Tag Search /System/TagMeSearch?tag \$tag\" style \"font
size:\$size%\" \$tag" separator " " minsize "94 ...

ManagingUsers

ProjectContributor

NEW - 15 Sep 2006 - 01:48

Manage Users Register users on your Foswiki site; change/reset/install passwords; remove user accounts
Some of the features below may be disabled, depending on ...

LoginName

ProjectContributor

NEW - 15 Sep 2006 - 01:48

The name you log in with A login name is a sequence of alphanumeric characters and underscores. You
cannot alter your LoginName: you have to get the administrator ...

NatSkinFAQ

ProjectContributor

NEW - 25 Aug 2006 - 17:28

NatSkinFAQ The documentation of nop NatSkin is crap. I'm lost! If you need help there are a couple of
options: Create a support request on Foswiki:Support/WebHome ...

SiteHtmlHead

ProjectContributor

NEW - 09 May 2006 - 11:15

SiteHtmlHead Default nop WebHtmlHead component for your nop Wiki site. Create a nop WebHtmlHead
topic in your web to override the content of this topic. .natSearchBox ...

ExternalLinkPlugin

ProjectContributor

NEW - 23 Apr 2006 - 23:35

External Link Plugin This plugin adds a visual indicator to external links, so users can distinguish outgoing
links from site links. This will only work for forced ...

TagMeDebugSearch

ProjectContributor

NEW - 22 Mar 2006 - 01:02

Tag me: Debug Tag Search web: topic: tag: by: sort: norelated: nototal: minsize: maxsize: ...

TagMeDebugViewTags

ProjectContributor

NEW - 12 Mar 2006 - 01:01

Tag me: Debug View Tags by: web: topic: exclude: minsize: maxsize: format: a href \"% nop
SCRIPTURL{view}% ...

PatternSkinGraphics

ProjectContributor

NEW - 08 Mar 2006 - 00:57

PatternSkin Graphics This topic contains original Photoshop files of the graphics used in PatternSkin.

PatternSkinCss

ProjectContributor

NEW - 08 Mar 2006 - 00:57

CSS elements in PatternSkin This page is a reference for all CSS classes used in PatternSkin. PatternSkin uses 4 stylesheets: layout.css: positioning of block ...

PatternSkinCssCookbookCenterPageBorder

ProjectContributor

NEW - 07 Mar 2006 - 23:43

PatternSkinCssCookbook Recipe: Center the page with a border This recipe shows how to put a border around the page, while centering the page horizontally. The example ...

VarCachePlugin

ProjectContributor

r4 - 06 Mar 2006 - 19:32

Variable Cache Plugin This Plugin caches Foswiki macros in selected topics for faster page rendering. Most topics in a typical Foswiki installation are rendered within ...

CalendarPlugin

ProjectContributor

r8 - 08 Feb 2006 - 22:22

Calendar Plugin The nop CalendarPlugin handles the macro % nop CALENDAR% that inserts a monthly calendar in the page. Multiple topics can be specified as the source ...

WebTopBarExample

ProjectContributor

NEW - 31 Jan 2006 - 21:16

PatternSkinHeaderArt

ProjectContributor

NEW - 05 Jan 2006 - 14:22

PatternSkinCssCookbookEditTableStyle

ProjectContributor

NEW - 10 Dec 2005 - 22:11

PatternSkinCssCookbook Recipe: EditTable style Cookbook example to illustrate control over EditTable edit styles. 1 EditTable uses a monospace font in edit mode ...

MySideBarTemplate

ProjectContributor

NEW - 30 Nov 2005 - 14:26

MySideBar %TWISTY{ mode "div" prefix "" link "" suffix "" showicon "" hideicon "" }%
%TWISTY{ prefix "" link "" ...

SiteRightBar

ProjectContributor

NEW - 16 Nov 2005 - 18:24

Recent Changes

PatternSkinWebCreateNewTopicTemplate

ProjectContributor

NEW - 08 Nov 2005 - 07:37

%{"hide page top controls"}% //

VarMETASEARCH

ProjectContributor

NEW - 27 Oct 2005 - 03:50

#VarMETASEARCH METASEARCH special search of meta data Syntax: % nop METASEARCH{...}%
Supported parameters: Parameter: Description: Default ...

PatternSkinCssCookbookNoTopBar

ProjectContributor

NEW - 23 Oct 2005 - 01:35

PatternSkinCssCookbook Recipe: Hide the top bar This recipe shows how to hide the top bar and to put the logo in the left bar. This line loads the extra style definition ...

PatternSkinCustomization

ProjectContributor

NEW - 23 Oct 2005 - 00:11

.PatternSkin Customization Guidelines how to create and customize page templates. For styling your Foswiki using stylesheets, see PatternSkinCssCookbook. First ...

PatternSkinCssCookbookFonts

ProjectContributor

NEW - 15 Oct 2005 - 01:46

PatternSkinCssCookbook Recipe: Font variation Cookbook example with other fonts and font colors. This line loads the extra style definition: Set USERSTYLEURL ...

PatternSkinCssCookbook

ProjectContributor

NEW - 15 Oct 2005 - 01:41

.PatternSkin CSS Cookbook Questions and answers on how to customize the default look of Foswiki for your own needs, using style sheets. For configuring page elements ...

PatternSkinCssCookbookCenterPage

ProjectContributor

NEW - 15 Oct 2005 - 01:41

PatternSkinCssCookbook Recipe: Center the page This recipe shows how center the page horizontally and vertically. This line loads the extra style definition: ...

PatternSkinCssCookbookNoLeftBar

ProjectContributor

NEW - 15 Oct 2005 - 01:41

PatternSkinCssCookbook Recipe: Hide the left bar This line loads the extra style definition: Set USERSTYLEURL //PatternSkinCssCookbookNoLeftBar/hideleftbar ...

NatSkinTemplates

ProjectContributor

NEW - 26 Aug 2005 - 18:57

NatSkinTemplates The template setup of the NatSkin differs completely from the standard templates that

come with Foswiki folowing its own inner logic compared to ...

UserToolsCategory

ProjectContributor

NEW - 26 Jul 2005 - 22:23

A List of User Tools

TipsTopics

ProjectContributor

NEW - 21 Jun 2005 - 12:29

Tips Tips are tips and hints contributed by users. Use this form to search for tips. You can contribute new tips here. Search (perl regular expression): " topic ...

GenPDFExampleTitleTopic

ProjectContributor

NEW - 13 Jun 2005 - 15:57

This page serves as the title page for documents created with .GenPDFAddOn. The content between the horizontal rules will be printed on the title page of the PDF document ...

GenPDFExampleHeaderFooterTopic

ProjectContributor

NEW - 13 Jun 2005 - 15:38

This page defines the headers and footers for documents generated by .GenPDFAddOn. See the HtmlDoc documentation for more info. If you want an image in the headers ...

ChangeEmailAddress

ProjectContributor

NEW - 27 Mar 2005 - 15:14

Change E mail Address Security Note : Set Email user #64;example.com %IF{ "context passwords modifiable" then " " else "" }% Registered e mail addresses ...

UserForm

ProjectContributor

NEW - 27 Mar 2005 - 15:14

User Form This is a maintenance topic, used by the Wiki administrator. Data form definition of user topics
Name Type Size Values Tooltip message ...

WebLeftBarPersonalTemplate

ProjectContributor

NEW - 27 Mar 2005 - 15:14

My links: My home page My activities edit

WebBottomBarExample

ProjectContributor

NEW - 27 Mar 2005 - 15:14

BulkRegistration

ProjectContributor

NEW - 27 Mar 2005 - 15:14

Bulk Registration Administrators can use this topic to register (i.e. create logins and user topics) for a group of people in one batch. Unlike normal registration ...

ResetPassword

ProjectContributor

NEW - 27 Mar 2005 - 15:14

%IF{ "context passwords modifyable" then "" else "" }% : ChangePassword, ChangeEmailAddress, UserToolsCategory, AdminToolsCategory ...

WebLeftBarCookbook

ProjectContributor

NEW - 27 Mar 2005 - 15:14

WebLeftBar Cookbook Instructions and tips how to use WebLeftBarPersonalTemplate .

WebLeftBarPersonalTemplate is a topic template to create a personal left bar block ...

TipTopic029

ProjectContributor

NEW - 06 Feb 2005 - 23:07

nop RSS news feed of topic changes You can use an RSS news reader to find out what is new in a Foswiki web. This complements WebChanges that shows recent changes in ...

TipTopic028

ProjectContributor

NEW - 06 Feb 2005 - 22:52

Keyword search Interactive search is a keyword search by default. For example, to search for all topics that contain "SOAP", "WSDL", a literal "web service", but not ...

TipTopic027

ProjectContributor

NEW - 05 Feb 2005 - 04:16

Custom rendered bullets The RenderListPlugin can render bulleted lists in a variety of different ways. Use % nop RENDERLIST{ parameters }% before any bulleted list ...

TipTopic026

ProjectContributor

NEW - 05 Feb 2005 - 04:13

SlideShowPlugin for presentations Use the SlideShowPlugin to convert a topic with headings and bullets into a slideshow presentation. This Plugin is useful for organizations ...

TipTopic025

ProjectContributor

NEW - 05 Feb 2005 - 04:08

SpreadSheetPlugin for dynamic content Over 60 formulae are available through the SpreadSheetPlugin. For Example: \$AVERAGE() \$IF() \$REPLACE() ...

TipTopic024

ProjectContributor

NEW - 05 Feb 2005 - 04:06

Comment box with CommentPlugin The CommentPlugin allows users to quickly post comments to a page without an edit/preview/save cycle. Write % nop COMMENT{ attributes ...

TipTopic023

ProjectContributor

NEW - 05 Feb 2005 - 04:05

Control table attributes with TablePlugin The TablePlugin gives extra control of table display: Allows sorting Changing table properties like border width ...

TipTopic022

ProjectContributor

NEW - 05 Feb 2005 - 03:49

Edit tables with EditTablePlugin The EditTablePlugin allows you to edit tables using edit fields and drop down boxes. Tables have an Edit table button if preceded ...

TipTopic021

ProjectContributor

NEW - 05 Feb 2005 - 03:47

SmiliesPlugin emoticons Smilies are common in e mail messages and bulletin board posts. They are used to convey an emotion, such as a smile #058;) :) or a frown ...

TipTopic020

ProjectContributor

NEW - 05 Feb 2005 - 03:44

InterwikiPlugin links The InterwikiPlugin automatically links ExternalSite:Page text to external sites based on aliases defined in the InterWikis topic. This enables ...

TipTopic019

ProjectContributor

NEW - 05 Feb 2005 - 03:40

Commenting with hidden text To hide sections of a Foswiki topic, use HTML comments. Example comment within a sentence: Visible ! and hidden text Example spanning ...

TipTopic018

ProjectContributor

NEW - 05 Feb 2005 - 03:39

Inline search To embed a search in a topic, use the % nop SEARCH{ parameters }% macro. The search macro is used by many Foswiki based applications. More Information ...

TipTopic017

ProjectContributor

NEW - 05 Feb 2005 - 03:37

Revision control Foswiki has "Soft security" anyone can change anything, but changes are logged. There is a complete audit trail: Version Date of last ...

TipTopic016

ProjectContributor

NEW - 05 Feb 2005 - 03:34

Foswiki Skins Skins overlay regular templates with alternate header/footer layouts. You can use Skins to change the look of a Foswiki topic, for example, the layout ...

TipTopic015

ProjectContributor

NEW - 05 Feb 2005 - 03:32

Breadcrumb The breadcrumb of a topic shows you page hierarchy. It is constructed using a topic's parent setting. See More Tips...

TipTopic014

ProjectContributor

NEW - 05 Feb 2005 - 03:31

File attachments One can attach files to any topic. The action of attaching a file to a topic is similar to attaching a file to an e mail. The link to attach a file ...

TipTopic012

ProjectContributor

NEW - 05 Feb 2005 - 03:23

nop WikiWords for linking nop WikiWords are capitalized words, run together, such as WebPreferences and CollaborationPlatform. Using a lot of WikiWords creates a ...

TipTopic011

ProjectContributor

NEW - 05 Feb 2005 - 03:17

Server side include To include the contents of a web page or Foswiki topic, use % nop INCLUDE{"page"}% . Examples: % nop INCLUDE{"http://www.google.com/"}% ...

TipTopic010

ProjectContributor

NEW - 05 Feb 2005 - 03:15

Disabling individual WikiWords Prevent a WikiWord from being linked by prefixing it with an exclamation point. Example: To escape SunOs write SunOs to get SunOs ...

TipTopic009

ProjectContributor

NEW - 05 Feb 2005 - 03:12

Disabling links in large blocks of text You can disable automatic linking of WikiWords by surrounding the text with noautolink and /noautolink tags. Each tag ...

TipTopic008

ProjectContributor

NEW - 05 Feb 2005 - 03:11

Escaping Foswiki rendering Use the verbatim tag to surround code excerpts and other formatted text with verbatim and /verbatim tags. Each tag must be on a ...

TipTopic007

ProjectContributor

NEW - 05 Feb 2005 - 03:08

Linking to a file attachment One can create a link to a file attachment using one of the % nop ATTACHURL% or % nop PUBURL% macros. % nop ATTACHURL% is the full ...

TipTopic006

ProjectContributor

NEW - 05 Feb 2005 - 03:05

Creating a Table of Contents % nop TOC% will automatically create a table of contents for a topic based on the headers of the topic. To exclude a heading from a ...

TipTopic005

ProjectContributor

NEW - 05 Feb 2005 - 03:03

Re parenting a topic The breadcrumb displayed with a particular Foswiki topic is constructed with a topic's Parent . On the footer to each page there is a link called ...

TipTopic004

ProjectContributor

NEW - 05 Feb 2005 - 03:00

E mail alert of topic changes Subscribing to WebNotify will enable Foswiki to send you details of changes made on topics in a certain web. You can choose to be notified ...

TipTopic003

ProjectContributor

NEW - 05 Feb 2005 - 02:58

Raw Text link At the bottom of the page next to Edit and Attach , there is a Raw Text link that allows one to easily see how the Foswiki topic looks in its raw ...

TipTopic002

ProjectContributor

NEW - 05 Feb 2005 - 02:53

nop WebChanges to see recent activity Each Foswiki web has a WebChanges topic that lists recent activity from all editors of the web. This page can be useful when ...

TipTopic001

ProjectContributor

NEW - 05 Feb 2005 - 02:52

The Go Box as a browser The go box (also called jump box) is not only a tool to allow you to jump from page to page, you can use the Go Box to search for documents ...

TipsOfTheDayTemplate

ProjectContributor

NEW - 05 Feb 2005 - 02:35

Heading Quick Summary with link to more information. See More Tips...

TipsOfTheDayAdmin

ProjectContributor

NEW - 05 Feb 2005 - 02:32

Tip Of The Day Administration Administrative Pages TipsOfTheDay Aggregated List of All Tips, from and . TipsOfTheDayAddNew Add A New Tip TipsOfTheDayInclude ...

TipsOfTheDay

ProjectContributor

NEW - 05 Feb 2005 - 02:31

Tips Of The Day These are all tips of the day. They are located in the web (official distribution tips) and web (custom tips). Total: tips See also: Tips Of The ...

ChartPlugin

ProjectContributor

NEW - 17 Nov 2004 - 07:56

Chart Plugin This plugin helps you visualize data in Foswiki tables as charts, using a default linear scale or an optional semilogarithmic scale. Five types of charts ...

ChartPluginTestsRemote

PeterThoeny?

r2 - 31 Aug 2004 - 04:40

ChartPlugin Tests with Remote Data This topic just contains two tables which are referenced from the ChartPluginTests topic. To distinguish the data on this page ...

ChartPluginTests

PeterThoeny?

r4 - 31 Aug 2004 - 04:20

Chart Plugin tests This page attempts to demonstrate/test many of the possible combinations of various parameters of the ChartPlugin. There are too many combinations ...

VarCachePluginTest

ProjectContributor

NEW - 16 Jul 2004 - 05:26

nop VarCachePlugin Test This topic contains a nested search, used to test the VarCachePlugin. The cache gets refreshed if older then 6 minutes (0.1 hours) Here is ...

WebLeftBarLogin

ProjectContributor

NEW - 01 Jan 1970 - 01:00

```
"}%'}% "%}%'}% %IF{""! 'guest'" then "
```

```
$percentINCLUDE{$quot$percentUSERSWEB$percent.$percentWIKINAME$percentLeftBar$quot warn  
$quot$quot }$percent "%}%
```

Number of topics: 524

See also:  RSS feed, recent changes with 50, 100, 200, 500, 1000 topics, all changes

Edit | Attach | Print version | History: %REVISIONS% | Backlinks | Raw View | More topic actions

Topic revision: r1 - 09 Jan 2009 - 13:00:00 - ProjectContributor

-  System

- Log In

- **Toolbox**

-  Users

-  Groups

-  Index

-  Search

-  Changes

-  Notifications

-  RSS Feed

-  Statistics

-  Preferences

- **User Reference**

- BeginnersStartHere

- TextFormattingRules

- Macros

- FormattedSearch

- QuerySearch

- DocumentGraphics

- SkinBrowser

- InstalledPlugins

- **Admin Maintenance**

- Reference Manual

- AdminToolsCategory

- InterWikis

- ManagingWebs

- SiteTools

- DefaultPreferences

- WebPreferences

- **Categories**

- Admin Documentation

- Admin Tools

- Developer Doc
- User Documentation
- User Tools

- **Webs**

- ☐ Public
- ☐ System

-
-



Copyright © by the contributing authors. All material on this site is the property of the contributing authors.

Ideas, requests, problems regarding Wiki? Send feedback