

Table of Contents

| | |
|---|----------|
| Shorthand Basics..... | 1 |
| General text formatting..... | 1 |
| Macros and special characters (advanced)..... | 1 |
| Internal and external links..... | 2 |
| Bullet and numbered lists..... | 2 |
| Others..... | 2 |

Shorthand Basics

If you can enter text, you're ready for Foswiki. With a few simple rules, you'll be able to use plain text to create well-styled postings, instantly. What you are going to learn here is called **Topic Markup Language**, or simply **TML**. So here comes a fast-track guide to shorthand basics:

General text formatting

- Separate each **paragraph** with a blank line.
- To display a **bold type** word or phrase, use asterisks: `*bold type*`.
- To display an *italic* word or phrase, use underscores: `_italic_`.
- To display ***bold with italics*** word or phrase, use *double* underscores: `__bold italic__`.
- To display a word or phrase in `MONOSPACED TYPE`, use equal signs: `=like this=`.
- Use `==double equal signs==` for bold: **bold mono**.
- To display colored text, enter: `__ %RED% red text %ENDCOLOR%` and `%GREEN% green text %ENDCOLOR%` to get **red text** and **green text**.
 - ◆ `%<color>% text` must end with `%ENDCOLOR%`. If you want to switch from one color to another one you first need to end the active color with `%ENDCOLOR%`, e.g. write `%RED% some text %ENDCOLOR% %GREEN% more text %ENDCOLOR%`.
 - ◆ DefaultPreferences defines some commonly used colors: `%YELLOW%`, `%RED%`, `%PINK%`, `%PURPLE%`, `%TEAL%`, `%NAVY%`, `%BLUE%`, `%AQUA%`, `%LIME%`, `%GREEN%`, `%OLIVE%`, `%MAROON%`, `%BLACK%`, `%GRAY%`, `%SILVER%` and `%ENDCOLOR%`.
- To display headings, type (from the beginning of a line) three dashes (-), from one to six plus signs (+), a space, and your heading text.
 - ◆ The quantity of plus signs is related to the size of the heading - the more plus signs you use, the smaller the heading.
 - ◆ You can insert a nested table of contents, generated from headings, by placing `%TOC%` wherever you like on a page (see System.Macros for more `%TOC%` options).
- Use `<verbatim>` to enclose code excerpts, filenames, and other unformatted text:
`<verbatim>`
unformatted text!
and more of it!
`</verbatim>`

Macros and special characters (advanced)

- `%MACROS%` can be set inside verbatim tags - they are not disabled. For more detailed information, see Macros.
- If you want to display angle brackets, enter them as HTML codes instead of typing them in directly:
 - ◆ `<` = `<`
 - ◆ `>` = `>`
 - ◆ **You enter:** `(a > 0)`
 - ◆ **Result:** `(a > 0)`

- Sometimes you will not see the & character and you need to escape it to see it as it is. The reason behind is that & has a special meaning in HTML - it starts so called character entities, like '©' which is the © copyright character.
 - ◆ Type 'This & that' to get 'This & that'.

Internal and external links

- To link to another Wiki topic in the same web, type the WikiWord of that topic: WebHome.
- To link to a Wiki topic in a different web, type the name of the web, and a dot, first:

Sandbox.WebHome.
- A Wiki topic that doesn't exist will appear highlighted, with question mark at the end, prompting you (or someone else) to start that topic by clicking the ?: ExampleOfANewTopic? (click the ?, but don't save, to preserve the example!).
- To create an external link, type the full URL: http://foswiki.org/.
- To prevent a WikiWord from becoming a link, place <nop> or an exclamation mark (!) in front of the WikiWord: <nop>NoLinkPlease or !NoLinkPlease.
- To escape the exclamation mark escape, try prefixing a <nop>, e.g. write A <nop>!= B to get "A != B". Alternatively, use the HTML entity !, which renders as an exclamation mark, e.g. write A != B to get "A != B".

Bullet and numbered lists

- To indent with a bullet, enter [space] [space] [space] [asterisk] [space].
 - ◆ Use multiples of 3 spaces to **nest bullets**.
 - ◇ That's 3-6-9 spaces...
- To create a numbered list:
 1. Start items in a **numbered list** with [space] [space] [space] [1] [space].
 2. The "1" (or **any number**) will be replaced by a correct numbering order.
 3. To add a new paragraph without restarting list numbering, use the %BR% variable, like this:

Text added (in a new paragraph)
 4. and the numbered list continues.

Always start **counting** spaces for bullets or numbers from the beginning of a new line.

Others

- To display an image in a topic, attach it and type in edit mode:

%ATTACHURL%/yourimagefilename.jpg
- Three (or more) consecutive **hyphens** will create a horizontal rule:













Follow GoodStyle recommendations when editing topics. In general, it is always nice to add one's signature at the end of a topic or comments. To add your signature, type Main.YourName, it will then expand to WikiGuest.

See EditingShorthand for the complete set of formatting rules.

Related Topics: WikiWords, Macros, EditingShorthand, FileAttachment

Edit | Attach | Print version | History: %REVISIONS% | Backlinks | Raw View | More topic actions

Topic revision: r0 - 09 Jan 2009 - 13:00:00 - ProjectContributor

-  System
- Log In
- **Toolbox**
 -  Users
 -  Groups
 -  Index
 -  Search
 -  Changes
 -  Notifications
 -  RSS Feed
 -  Statistics
 -  Preferences
- **User Reference**
 - BeginnersStartHere
 - TextFormattingRules
 - Macros
 - FormattedSearch
 - QuerySearch
 - DocumentGraphics
 - SkinBrowser
 - InstalledPlugins
- **Admin Maintenance**
 - Reference Manual
 - AdminToolsCategory
 - InterWikis
 - ManagingWebs
 - SiteTools
 - DefaultPreferences
 - WebPreferences
- **Categories**
 - Admin Documentation
 - Admin Tools
 - Developer Doc
 - User Documentation
 - User Tools
- **Webs**
 -  Public
 -  System
-



Copyright © by the contributing authors. All material on this site is the property of the contributing authors.

Ideas, requests, problems regarding Wiki? Send feedback